

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD083024AR\
 Data File : FD048261.D
 Signal(s) : FID2B.ch
 Acq On : 30 Aug 2024 18:29
 Operator : YP/AJ
 Sample : PB163095BSD
 Misc :
 ALS Vial : 63 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :

Integration File: autoint1.e
 Quant Time: Aug 31 02:53:24 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 081324.M
 Quant Title : GC Extractables
 QLast Update : Mon Aug 12 16:16:10 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.393	6692349	44.837 ug/ml
Spiked Amount 50.000		Recovery =	89.67%
6) S 2-Fluorobiphenyl (SURR)	8.243	4397299	45.940 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	91.88%
11) S ortho-Terphenyl (SURR)	11.280	6815554	40.461 ug/ml
Spiked Amount 50.000		Recovery =	80.92%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	4.214	4600479	26.989 ug/ml
2) T Naphthalene (C11.7)	5.733	6061657	34.787 ug/ml
3) T 2-Methylnaphthalene (...)	6.780	6310632	36.288 ug/ml
5) T Acenaphthylene (C15.06)	8.046	6619558	38.445 ug/ml
7) T Acenaphthene (C15.5)	8.341	6591445	38.067 ug/ml
8) T Flouorene (C16.55)	9.120	6683704	40.529 ug/ml
9) T Phenanthrene (C19.36)	10.508	6694150	41.827 ug/ml
10) T Anthracene (C19.43)	10.583	6660126	42.459 ug/ml
12) T Fluoranthene (C21.85)	12.312	7801580	49.001 ug/ml
13) T Pyrene (C20.8)	12.606	6906951	44.011 ug/ml
14) T Benzo[a]anthracene (C...	14.474	6313427	44.819 ug/ml
15) T Chrysene (C27.41)	14.516	6341765	39.785 ug/ml
16) T benzo[b]fluoranthene ...	16.021	6207875	41.812 ug/ml
17) T Bnezo[k]fluoranthene ...	16.055	6210589	41.865 ug/ml
18) T Benzo[a]pyrene (C31.34)	16.396	6167572	41.879 ug/ml
19) T Indeno[1,2,3-cd]pyren...	17.761	6213608	50.833 ug/ml
20) T Dibenz[a,h]anthracene...	17.799	6057958	39.657 ug/ml
21) T Benzo[g,h,i]perylene ...	18.012	5941072	39.342 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD083024AR\
Data File : FD048261.D
Signal(s) : FID2B.ch
Acq On : 30 Aug 2024 18:29
Operator : YP/AJ
Sample : PB163095BSD
Misc :
ALS Vial : 63 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :

Integration File: autoint1.e
Quant Time: Aug 31 02:53:24 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 081324.M
Quant Title : GC Extractables
QLast Update : Mon Aug 12 16:16:10 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#1 1,2,3-Trimethylbenzene (C10.1)


R.T.: 4.214 min
Delta R.T.: -0.006 min
Response: 4600479
Conc: 26.99 ug/ml

Instrument :
FID_D
ClientSampleId :




#2 Naphthalene (C11.7)

R.T.: 5.733 min
Delta R.T.: -0.008 min
Response: 6061657
Conc: 34.79 ug/ml




#3 2-Methylnaphthalene (C12.89)

R.T.: 6.780 min
Delta R.T.: -0.006 min
Response: 6310632
Conc: 36.29 ug/ml



#4 2-Bromonaphthalene (SURR)


R.T.: 7.393 min
Delta R.T.: -0.006 min
Response: 6692349
Conc: 44.84 ug/ml



#5 Acenaphthylene (C15.06)


R.T.: 8.046 min
Delta R.T.: -0.005 min
Response: 6619558
Conc: 38.45 ug/ml

Instrument :
FID_D
ClientSampleId :




#6 2-Fluorobiphenyl (SURR)

R.T.: 8.243 min
Delta R.T.: -0.009 min
Response: 4397299
Conc: 45.94 ug/ml




#7 Acenaphthene (C15.5)

R.T.: 8.341 min
Delta R.T.: -0.003 min
Response: 6591445
Conc: 38.07 ug/ml



#8 Fluorene (C16.55)


R.T.: 9.120 min
Delta R.T.: -0.006 min
Response: 6683704
Conc: 40.53 ug/ml



#9 Phenanthrene (C19.36)


R.T.: 10.508 min
Delta R.T.: -0.006 min
Response: 6694150
Conc: 41.83 ug/ml

Instrument :
FID_D
ClientSampleId :




#10 Anthracene (C19.43)

R.T.: 10.583 min
Delta R.T.: -0.007 min
Response: 6660126
Conc: 42.46 ug/ml




#11 ortho-Terphenyl (SURR)

R.T.: 11.280 min
Delta R.T.: -0.004 min
Response: 6815554
Conc: 40.46 ug/ml



#12 Fluoranthene (C21.85)


R.T.: 12.312 min
Delta R.T.: -0.007 min
Response: 7801580
Conc: 49.00 ug/ml



#13 Pyrene (C20.8)


R.T.: 12.606 min
Delta R.T.: -0.006 min
Response: 6906951
Conc: 44.01 ug/ml

Instrument :
FID_D
ClientSampleId :




#14 Benzo[a]anthracene (C26.37)

R.T.: 14.474 min
Delta R.T.: -0.007 min
Response: 6313427
Conc: 44.82 ug/ml




#15 Chrysene (C27.41)

R.T.: 14.516 min
Delta R.T.: -0.004 min
Response: 6341765
Conc: 39.79 ug/ml



#16 benzo[b]fluoranthene (C30.41)


R.T.: 16.021 min
Delta R.T.: -0.004 min
Response: 6207875
Conc: 41.81 ug/ml



#17 Bnezo[k]fluoranthene (C30.14)


R.T.: 16.055 min
Delta R.T.: -0.001 min
Response: 6210589
Conc: 41.87 ug/ml

Instrument :
FID_D
ClientSampleId :




#18 Benzo[a]pyrene (C31.34)

R.T.: 16.396 min
Delta R.T.: -0.010 min
Response: 6167572
Conc: 41.88 ug/ml




#19 Indeno[1,2,3-cd]pyrene (C35.01)

R.T.: 17.761 min
Delta R.T.: -0.009 min
Response: 6213608
Conc: 50.83 ug/ml



#20 Dibenz[a,h]anthracene (C30.36)

R.T.: 17.799 min
Delta R.T.: -0.016 min
Response: 6057958
Conc: 39.66 ug/ml



#21 Benzo[g,h,i]perylene (C34.01)

R.T.: 18.012 min
Delta R.T.: -0.003 min
Response: 5941072
Conc: 39.34 ug/ml

Instrument :

FID_D

ClientSampleId :