

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD083024AR\
 Data File : FD048255.D
 Signal(s) : FID2B.ch
 Acq On : 30 Aug 2024 10:28
 Operator : YP/AJ
 Sample : 20 PPM AROMATIC HC STD
 Misc :
 ALS Vial : 52 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 20 PPM AROMATIC HC STD

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 09/03/2024
 Supervised By :Ankita Jodhani 09/03/2024

Integration File: autoint1.e
 Quant Time: Aug 31 02:52:32 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 081324.M
 Quant Title : GC Extractables
 QLast Update : Mon Aug 12 16:16:10 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.392	3056379	20.477 ug/ml
Spiked Amount 50.000		Recovery =	40.95%
6) S 2-Fluorobiphenyl (SURR)	8.242	2013271	21.033 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	42.07%
11) S ortho-Terphenyl (SURR)	11.278	3536205	20.993 ug/ml
Spiked Amount 50.000		Recovery =	41.99%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	4.213	3522510	20.665 ug/ml
2) T Naphthalene (C11.7)	5.733	3639414	20.886 ug/ml
3) T 2-Methylnaphthalene (...)	6.779	3610961	20.764 ug/ml
5) T Acenaphthylene (C15.06)	8.045	3551356	20.626 ug/ml
7) T Acenaphthene (C15.5)	8.340	3597638	20.777 ug/ml
8) T Flouorene (C16.55)	9.119	3467621	21.027 ug/ml
9) T Phenanthrene (C19.36)	10.505	3399251	21.239 ug/ml
10) T Anthracene (C19.43)	10.581	3019051	19.247 ug/ml
12) T Fluoranthene (C21.85)	12.309	3348240	21.030 ug/ml
13) T Pyrene (C20.8)	12.602	3367561	21.458 ug/ml
14) T Benzo[a]anthracene (C...	14.470	3017977	21.425 ug/mlm
15) T Chrysene (C27.41)	14.511	3258112	20.440 ug/ml
16) T benzo[b]fluoranthene ...	16.014	3225424	21.724 ug/mlm
17) T Bnezo[k]fluoranthene ...	16.045	3130300	21.101 ug/mlm
18) T Benzo[a]pyrene (C31.34)	16.391	3156633	21.434 ug/ml
19) T Indeno[1,2,3-cd]pyren...	17.754	2705396	22.132 ug/mlm
20) T Dibenz[a,h]anthracene...	17.793	3385558	22.163 ug/ml
21) T Benzo[g,h,i]perylene ...	18.003	3167358	20.974 ug/ml

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD083024AR\
Data File : FD048255.D
Signal(s) : FID2B.ch
Acq On : 30 Aug 2024 10:28
Operator : YP/AJ
Sample : 20 PPM AROMATIC HC STD
Misc :
ALS Vial : 52 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :
20 PPM AROMATIC HC STD

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 09/03/2024
Supervised By :Ankita Jodhani 09/03/2024

Integration File: autoint1.e
Quant Time: Aug 31 02:52:32 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 081324.M
Quant Title : GC Extractables
QLast Update : Mon Aug 12 16:16:10 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm

