

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD083122AR\
 Data File : FD043783.D
 Signal(s) : FID2B.ch
 Acq On : 31 Aug 2022 14:01
 Operator : YP/AJ
 Sample : N4421-09DL 5X
 Misc :
 ALS Vial : 56 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 WC-PALM-SP-02-GRDL

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 09/01/2022
 Supervised By :Ankita Jodhani 09/01/2022

Integration File: autoint1.e
 Quant Time: Sep 01 06:46:38 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 082322.M
 Quant Title : GC Extractables
 QLast Update : Thu Aug 25 11:00:10 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.444	1499659	8.680 ug/ml
Spiked Amount 50.000		Recovery =	17.36%
6) S 2-Fluorobiphenyl (SURR)	8.300	468170	4.654 ug/mlm
Spiked Amount 50.000 Range 0 - 131		Recovery =	9.31%
11) S ortho-Terphenyl (SURR)	11.328	757275	3.620 ug/mlm
Spiked Amount 50.000		Recovery =	7.24%
Target Compounds			

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD083122AR\
Data File : FD043783.D
Signal(s) : FID2B.ch
Acq On : 31 Aug 2022 14:01
Operator : YP/AJ
Sample : N4421-09DL 5X
Misc :
ALS Vial : 56 Sample Multiplier: 1


Instrument :
FID_D
ClientSampleId :
WC-PALM-SP-02-GRDL


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 09/01/2022
Supervised By :Ankita Jodhani 09/01/2022

Integration File: autoint1.e
Quant Time: Sep 01 06:46:38 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 082322.M
Quant Title : GC Extractables
QLast Update : Thu Aug 25 11:00:10 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#4 2-Bromonaphthalene (SURRE)

R.T.: 7.444 min
Delta R.T.: -0.019 min
Response: 1499659
Conc: 8.68 ug/ml

Instrument :
FID_D
ClientSampleId :
WC-PALM-SP-02-GRDL


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 09/01/2022
Supervised By :Ankita Jodhani 09/01/2022



#6 2-Fluorobiphenyl (SURRE)

R.T.: 8.300 min
Delta R.T.: -0.021 min
Response: 468170
Conc: 4.65 ug/ml m



#11 ortho-Terphenyl (SURRE)

R.T.: 11.328 min
Delta R.T.: -0.022 min
Response: 757275
Conc: 3.62 ug/ml m