

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD090123AR\
 Data File : FD046419.D
 Signal(s) : FID2B.ch
 Acq On : 01 Sep 2023 11:21
 Operator : YP/AJ
 Sample : 20 PPM AROMATIC HC STD
 Misc :
 ALS Vial : 52 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 20 PPM AROMATIC HC STD

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 09/05/2023
 Supervised By :Ankita Jodhani 09/05/2023

Integration File: autoint1.e
 Quant Time: Sep 01 23:51:23 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 082223.M
 Quant Title : GC Extractables
 QLast Update : Tue Aug 22 12:26:56 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.495	3681895	21.801 ug/ml
Spiked Amount 50.000		Recovery =	43.60%
6) S 2-Fluorobiphenyl (SURR)	8.348	2436554	21.894 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	43.79%
11) S ortho-Terphenyl (SURR)	11.386	4313803	21.995 ug/ml
Spiked Amount 50.000		Recovery =	43.99%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	4.309	3809391	21.678 ug/ml
2) T Naphthalene (C11.7)	5.835	4013535	21.776 ug/ml
3) T 2-Methylnaphthalene (...)	6.883	4050120	21.813 ug/ml
5) T Acenaphthylene (C15.06)	8.153	3679976	21.624 ug/ml
7) T Acenaphthene (C15.5)	8.448	3938332	21.860 ug/ml
8) T Fluorene (C16.55)	9.225	3840844	21.961 ug/ml
9) T Phenanthrene (C19.36)	10.614	3740946	21.803 ug/ml
10) T Anthracene (C19.43)	10.688	3293935	19.526 ug/ml
12) T Fluoranthene (C21.85)	12.417	3685935	22.155 ug/ml
13) T Pyrene (C20.8)	12.710	3523671	21.863 ug/ml
14) T Benzo[a]anthracene (C...	14.574	3010706	21.400 ug/ml
15) T Chrysene (C27.41)	14.616	3197425	21.556 ug/ml
16) T benzo[b]fluoranthene ...	16.114	2941928	21.651 ug/mlm
17) T Bnezo[k]fluoranthene ...	16.147	2987709	22.023 ug/ml
18) T Benzo[a]pyrene (C31.34)	16.489	2794110	21.206 ug/ml
19) T Indeno[1,2,3-cd]pyren...	17.846	2638610	21.154 ug/mlm
20) T Dibenz[a,h]anthracene...	17.887	2899225	23.137 ug/ml
21) T Benzo[g,h,i]perylene ...	18.097	2750609	21.449 ug/ml

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD090123AR\
Data File : FD046419.D
Signal(s) : FID2B.ch
Acq On : 01 Sep 2023 11:21
Operator : YP/AJ
Sample : 20 PPM AROMATIC HC STD
Misc :
ALS Vial : 52 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :
20 PPM AROMATIC HC STD

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 09/05/2023
Supervised By :Ankita Jodhani 09/05/2023

Integration File: autoint1.e
Quant Time: Sep 01 23:51:23 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 082223.M
Quant Title : GC Extractables
QLast Update : Tue Aug 22 12:26:56 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm

