

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD090425AR\
 Data File : FD049718.D
 Signal(s) : FID2B.ch
 Acq On : 04 Sep 2025 09:36
 Operator : YP/AJ
 Sample : 100 PPM AROMATIC HC STD1
 Misc :
 ALS Vial : 61 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :

Integration File: autoint1.e
 Quant Time: Sep 05 06:20:15 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 090425.M
 Quant Title : GC Extractables
 QLast Update : Fri Sep 05 06:18:55 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.703	11112746	98.565 ug/ml
Spiked Amount 50.000		Recovery =	197.13%
6) S 2-Fluorobiphenyl (SURR)	8.569	7949975	98.006 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	196.01%#
11) S ortho-Terphenyl (SURR)	11.617	13622959	95.092 ug/ml
Spiked Amount 50.000		Recovery =	190.18%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	4.491	10441049	97.009 ug/ml
2) T Naphthalene (C11.7)	6.037	12262247	98.452 ug/ml
3) T 2-Methylnaphthalene (...)	7.093	12922112	98.860 ug/ml
5) T Acenaphthylene (C15.06)	8.373	13531887	97.031 ug/ml
7) T Acenaphthene (C15.5)	8.672	13530461	96.977 ug/ml
8) T Fluorene (C16.55)	9.453	13563710	96.723 ug/ml
9) T Phenanthrene (C19.36)	10.853	13732189	96.729 ug/ml
10) T Anthracene (C19.43)	10.930	12946823	96.523 ug/ml
12) T Fluoranthene (C21.85)	12.668	13257933	97.088 ug/ml
13) T Pyrene (C20.8)	12.967	13102659	97.119 ug/ml
14) T Benzo[a]anthracene (C...	14.839	11657187	96.783 ug/ml
15) T Chrysene (C27.41)	14.887	11738473	96.196 ug/ml
16) T benzo[b]fluoranthene ...	16.393	11363538	94.070 ug/ml
17) T Bnezo[k]fluoranthene ...	16.393	11363538	99.376 ug/ml
18) T Benzo[a]pyrene (C31.34)	16.775	10977142	92.154 ug/ml
19) T Indeno[1,2,3-cd]pyren...	18.141	10414194	93.978 ug/ml
20) T Dibenz[a,h]anthracene...	18.181	10061727	85.544 ug/ml
21) T Benzo[g,h,i]perylene ...	18.403	10749985	90.198 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD090425AR\
Data File : FD049718.D
Signal(s) : FID2B.ch
Acq On : 04 Sep 2025 09:36
Operator : YP/AJ
Sample : 100 PPM AROMATIC HC STD1
Misc :
ALS Vial : 61 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :

Integration File: autoint1.e
Quant Time: Sep 05 06:20:15 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 090425.M
Quant Title : GC Extractables
QLast Update : Fri Sep 05 06:18:55 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#1 1,2,3-Trimethylbenzene (C10.1)


R.T.: 4.491 min
Delta R.T.: -0.001 min
Response: 10441049
Conc: 97.01 ug/ml

Instrument :
FID_D
ClientSampleId :




#2 Naphthalene (C11.7)

R.T.: 6.037 min
Delta R.T.: 0.001 min
Response: 12262247
Conc: 98.45 ug/ml




#3 2-Methylnaphthalene (C12.89)

R.T.: 7.093 min
Delta R.T.: 0.003 min
Response: 12922112
Conc: 98.86 ug/ml



#4 2-Bromonaphthalene (SURR)


R.T.: 7.703 min
Delta R.T.: 0.002 min
Response: 11112746
Conc: 98.56 ug/ml



#5 Acenaphthylene (C15.06)


R.T.: 8.373 min
Delta R.T.: 0.005 min
Response: 13531887
Conc: 97.03 ug/ml

Instrument :
FID_D
ClientSampleId :




#6 2-Fluorobiphenyl (SURR)

R.T.: 8.569 min
Delta R.T.: 0.004 min
Response: 7949975
Conc: 98.01 ug/ml




#7 Acenaphthene (C15.5)

R.T.: 8.672 min
Delta R.T.: 0.007 min
Response: 13530461
Conc: 96.98 ug/ml



#8 Fluorene (C16.55)


R.T.: 9.453 min
Delta R.T.: 0.007 min
Response: 13563710
Conc: 96.72 ug/ml



#9 Phenanthrene (C19.36)


R.T.: 10.853 min
Delta R.T.: 0.008 min
Response: 13732189
Conc: 96.73 ug/ml

Instrument :
FID_D
ClientSampleId :




#10 Anthracene (C19.43)

R.T.: 10.930 min
Delta R.T.: 0.010 min
Response: 12946823
Conc: 96.52 ug/ml




#11 ortho-Terphenyl (SURR)

R.T.: 11.617 min
Delta R.T.: 0.005 min
Response: 13622959
Conc: 95.09 ug/ml



#12 Fluoranthene (C21.85)


R.T.: 12.668 min
Delta R.T.: 0.010 min
Response: 13257933
Conc: 97.09 ug/ml



#13 Pyrene (C20.8)


R.T.: 12.967 min
Delta R.T.: 0.011 min
Response: 13102659
Conc: 97.12 ug/ml

Instrument :
FID_D
ClientSampleId :




#14 Benzo[a]anthracene (C26.37)

R.T.: 14.839 min
Delta R.T.: 0.010 min
Response: 11657187
Conc: 96.78 ug/ml




#15 Chrysene (C27.41)

R.T.: 14.887 min
Delta R.T.: 0.017 min
Response: 11738473
Conc: 96.20 ug/ml



#16 benzo[b]fluoranthene (C30.41)


R.T.: 16.393 min
Delta R.T.: 0.014 min
Response: 11363538
Conc: 94.07 ug/ml



#17 Bnezo[k]fluoranthene (C30.14)


R.T.: 16.393 min
Delta R.T.: -0.018 min
Response: 11363538
Conc: 99.38 ug/ml

Instrument :
FID_D
ClientSampleId :




#18 Benzo[a]pyrene (C31.34)

R.T.: 16.775 min
Delta R.T.: 0.017 min
Response: 10977142
Conc: 92.15 ug/ml




#19 Indeno[1,2,3-cd]pyrene (C35.01)

R.T.: 18.141 min
Delta R.T.: 0.019 min
Response: 10414194
Conc: 93.98 ug/ml



#20 Dibenz[a,h]anthracene (C30.36)

R.T.: 18.181 min
Delta R.T.: 0.020 min
Response: 10061727
Conc: 85.54 ug/ml



#21 Benzo[g,h,i]perylene (C34.01)

R.T.: 18.403 min
Delta R.T.: 0.026 min
Response: 10749985
Conc: 90.20 ug/ml

Instrument :

FID_D

ClientSampleId :