

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD090524AR\
 Data File : FD048269.D
 Signal(s) : FID2B.ch
 Acq On : 05 Sep 2024 09:13
 Operator : YP/AJ
 Sample : 20 PPM AROMATIC HC STD
 Misc :
 ALS Vial : 53 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 20 PPM AROMATIC HC STD

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 09/06/2024
 Supervised By :Ankita Jodhani 09/09/2024

Integration File: autoint1.e
 Quant Time: Sep 06 05:09:22 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 081324.M
 Quant Title : GC Extractables
 QLast Update : Mon Aug 12 16:16:10 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.392	3395399	22.748 ug/ml
Spiked Amount 50.000		Recovery =	45.50%
6) S 2-Fluorobiphenyl (SURR)	8.242	2170939	22.681 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	45.36%
11) S ortho-Terphenyl (SURR)	11.277	3854094	22.880 ug/ml
Spiked Amount 50.000		Recovery =	45.76%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	4.213	3873897	22.726 ug/ml
2) T Naphthalene (C11.7)	5.732	4005971	22.990 ug/ml
3) T 2-Methylnaphthalene (...)	6.779	3945418	22.687 ug/ml
5) T Acenaphthylene (C15.06)	8.045	3851697	22.370 ug/ml
7) T Acenaphthene (C15.5)	8.339	3924173	22.663 ug/ml
8) T Fluorene (C16.55)	9.117	3737381	22.663 ug/ml
9) T Phenanthrene (C19.36)	10.504	3654305	22.833 ug/ml
10) T Anthracene (C19.43)	10.580	3170194	20.210 ug/ml
12) T Fluoranthene (C21.85)	12.308	3633346	22.820 ug/ml
13) T Pyrene (C20.8)	12.601	3605686	22.975 ug/ml
14) T Benzo[a]anthracene (C...	14.469	3243018	23.022 ug/mlm
15) T Chrysene (C27.41)	14.510	3520933	22.089 ug/ml
16) T benzo[b]fluoranthene ...	16.015	3395868	22.872 ug/mlm
17) T Bnezo[k]fluoranthene ...	16.046	3311798	22.325 ug/mlm
18) T Benzo[a]pyrene (C31.34)	16.389	3351006	22.754 ug/ml
19) T Indeno[1,2,3-cd]pyren...	17.752	2650017	21.679 ug/ml
20) T Dibenz[a,h]anthracene...	17.792	3524668	23.073 ug/ml
21) T Benzo[g,h,i]perylene ...	18.002	3331923	22.064 ug/ml

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD090524AR\
Data File : FD048269.D
Signal(s) : FID2B.ch
Acq On : 05 Sep 2024 09:13
Operator : YP/AJ
Sample : 20 PPM AROMATIC HC STD
Misc :
ALS Vial : 53 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :
20 PPM AROMATIC HC STD

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 09/06/2024
Supervised By :Ankita Jodhani 09/09/2024

Integration File: autoint1.e
Quant Time: Sep 06 05:09:22 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 081324.M
Quant Title : GC Extractables
QLast Update : Mon Aug 12 16:16:10 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm

