

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD090722AR\
 Data File : FD043822.D
 Signal(s) : FID2B.ch
 Acq On : 08 Sep 2022 02:44
 Operator : YP/AJ
 Sample : N4490-09 10X
 Misc :
 ALS Vial : 66 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 WC-14-B-SP-GR

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 09/08/2022
 Supervised By :Ankita Jodhani 09/08/2022

Integration File: autoint1.e
 Quant Time: Sep 08 08:00:07 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 082322.M
 Quant Title : GC Extractables
 QLast Update : Wed Sep 07 10:52:36 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.449	473839	2.742 ug/mlm
Spiked Amount 50.000		Recovery =	5.48%
6) S 2-Fluorobiphenyl (SURR)	8.339	356089	3.540 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	7.08%
11) S ortho-Terphenyl (SURR)	11.324	434673	2.078 ug/mlm
Spiked Amount 50.000		Recovery =	4.16%

Target Compounds

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD090722AR\
Data File : FD043822.D
Signal(s) : FID2B.ch
Acq On : 08 Sep 2022 02:44
Operator : YP/AJ
Sample : N4490-09 10X
Misc :
ALS Vial : 66 Sample Multiplier: 1


Instrument :
FID_D
ClientSampleId :
WC-14-B-SP-GR


Manual Integrations
APPROVED

Reviewed By : Yogesh Patel 09/08/2022
Supervised By : Ankita Jodhani 09/08/2022

Integration File: autoint1.e
Quant Time: Sep 08 08:00:07 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 082322.M
Quant Title : GC Extractables
QLast Update : Wed Sep 07 10:52:36 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#4 2-Bromonaphthalene (SURRE)

R.T.: 7.449 min
Delta R.T.: 0.014 min
Response: 473839
Conc: 2.74 ug/ml

Instrument :
FID_D
ClientSampleId :
WC-14-B-SP-GR


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 09/08/2022
Supervised By :Ankita Jodhani 09/08/2022



#6 2-Fluorobiphenyl (SURRE)

R.T.: 8.339 min
Delta R.T.: 0.049 min
Response: 356089
Conc: 3.54 ug/ml



#11 ortho-Terphenyl (SURRE)

R.T.: 11.324 min
Delta R.T.: 0.003 min
Response: 434673
Conc: 2.08 ug/ml m