

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD090822AR\
 Data File : FD043830.D
 Signal(s) : FID2B.ch
 Acq On : 08 Sep 2022 10:48
 Operator : YP/AJ
 Sample : 20 PPM AROMATIC HC STD
 Misc :
 ALS Vial : 52 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 20 PPM AROMATIC HC STD

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 09/08/2022
 Supervised By :Ankita Jodhani 09/09/2022

Integration File: autoint1.e
 Quant Time: Sep 08 13:50:41 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 082322.M
 Quant Title : GC Extractables
 QLast Update : Wed Sep 07 10:52:36 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.438	3699205	21.410 ug/ml
Spiked Amount 50.000		Recovery =	42.82%
6) S 2-Fluorobiphenyl (SURR)	8.293	2251198	22.379 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	44.76%
11) S ortho-Terphenyl (SURR)	11.322	4404951	21.055 ug/ml
Spiked Amount 50.000		Recovery =	42.11%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	4.246	4180225	20.991 ug/ml
2) T Naphthalene (C11.7)	5.778	4133774	20.566 ug/ml
3) T 2-Methylnaphthalene (...)	6.825	3747892	20.764 ug/ml
5) T Acenaphthylene (C15.06)	8.094	4226062	21.142 ug/ml
7) T Acenaphthene (C15.5)	8.385	4435240	20.633 ug/ml
8) T Flouorene (C16.55)	9.166	4049606	21.123 ug/ml
9) T Phenanthrene (C19.36)	10.557	3939440	21.907 ug/ml
10) T Anthracene (C19.43)	10.634	3817892	19.629 ug/ml
12) T Fluoranthene (C21.85)	12.361	3916572	21.476 ug/ml
13) T Pyrene (C20.8)	12.656	3998721	21.422 ug/ml
14) T Benzo[a]anthracene (C...	14.524	3253913	22.742 ug/ml
15) T Chrysene (C27.41)	14.565	3814677	19.764 ug/ml
16) T benzo[b]fluoranthene ...	16.066	3194066	22.135 ug/mlm
17) T Bnezo[k]fluoranthene ...	16.099	3329845	19.360 ug/mlm
18) T Benzo[a]pyrene (C31.34)	16.445	3012067	20.743 ug/mlm
19) T Indeno[1,2,3-cd]pyren...	17.808	2437056	23.565 ug/ml
20) T Dibenz[a,h]anthracene...	17.845	3185728	22.638 ug/ml
21) T Benzo[g,h,i]perylene ...	18.057	2953903	23.203 ug/ml

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD090822AR\
Data File : FD043830.D
Signal(s) : FID2B.ch
Acq On : 08 Sep 2022 10:48
Operator : YP/AJ
Sample : 20 PPM AROMATIC HC STD
Misc :
ALS Vial : 52 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :
20 PPM AROMATIC HC STD

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 09/08/2022
Supervised By :Ankita Jodhani 09/09/2022

Integration File: autoint1.e
Quant Time: Sep 08 13:50:41 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 082322.M
Quant Title : GC Extractables
QLast Update : Wed Sep 07 10:52:36 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm

