

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD090822AR\
 Data File : FD043833.D
 Signal(s) : FID2B.ch
 Acq On : 08 Sep 2022 13:21
 Operator : YP/AJ
 Sample : 20 PPM AROMATIC HC STD
 Misc :
 ALS Vial : 52 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 20 PPM AROMATIC HC STD

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 09/08/2022
 Supervised By :Ankita Jodhani 09/09/2022

Integration File: autoint1.e
 Quant Time: Sep 08 14:08:41 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 082322.M
 Quant Title : GC Extractables
 QLast Update : Wed Sep 07 10:52:36 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.437	3709981	21.472 ug/ml
Spiked Amount 50.000		Recovery =	42.94%
6) S 2-Fluorobiphenyl (SURR)	8.292	2274072	22.607 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	45.21%
11) S ortho-Terphenyl (SURR)	11.322	4443434	21.239 ug/ml
Spiked Amount 50.000		Recovery =	42.48%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	4.245	4190064	21.040 ug/ml
2) T Naphthalene (C11.7)	5.777	4117399	20.485 ug/ml
3) T 2-Methylnaphthalene (...)	6.824	3770483	20.889 ug/ml
5) T Acenaphthylene (C15.06)	8.093	4258914	21.306 ug/ml
7) T Acenaphthene (C15.5)	8.385	4440181	20.656 ug/ml
8) T Flouorene (C16.55)	9.165	4050240	21.127 ug/ml
9) T Phenanthrene (C19.36)	10.557	3978004	22.121 ug/ml
10) T Anthracene (C19.43)	10.633	3878360	19.939 ug/ml
12) T Fluoranthene (C21.85)	12.361	3958754	21.708 ug/ml
13) T Pyrene (C20.8)	12.654	4006136	21.462 ug/ml
14) T Benzo[a]anthracene (C...	14.523	3298044	23.050 ug/ml
15) T Chrysene (C27.41)	14.564	3799975	19.688 ug/ml
16) T benzo[b]fluoranthene ...	16.068	3275773	22.701 ug/ml
17) T Bnezo[k]fluoranthene ...	16.099	3318909	19.297 ug/ml
18) T Benzo[a]pyrene (C31.34)	16.445	2986657	20.568 ug/mlm
19) T Indeno[1,2,3-cd]pyren...	17.807	2486207	24.041 ug/ml
20) T Dibenz[a,h]anthracene...	17.844	3237672	23.007 ug/ml
21) T Benzo[g,h,i]perylene ...	18.057	2978418	23.396 ug/ml

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD090822AR\
Data File : FD043833.D
Signal(s) : FID2B.ch
Acq On : 08 Sep 2022 13:21
Operator : YP/AJ
Sample : 20 PPM AROMATIC HC STD
Misc :
ALS Vial : 52 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :
20 PPM AROMATIC HC STD

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 09/08/2022
Supervised By :Ankita Jodhani 09/09/2022

Integration File: autoint1.e
Quant Time: Sep 08 14:08:41 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 082322.M
Quant Title : GC Extractables
QLast Update : Wed Sep 07 10:52:36 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm

