

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD091522AL\
 Data File : FD043890.D
 Signal(s) : FID2B.ch
 Acq On : 15 Sep 2022 10:48
 Operator : YP/AJ
 Sample : 20 PPM ALIPHATIC HC STD
 Misc :
 ALS Vial : 53 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 20 PPM ALIPHATIC HC STD

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 09/15/2022
 Supervised By :Ankita Jodhani 09/16/2022

Integration File: autoint1.e
 Quant Time: Sep 15 13:26:41 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aliphatic EPH 090722.M
 Quant Title : GC Extractables
 QLast Update : Wed Sep 07 17:10:44 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.315	3777778	22.089 ug/ml
Spiked Amount 50.000		Recovery =	44.18%
12) S 1-chlorooctadecane (S...	12.733	2939660	22.093 ug/ml
Spiked Amount 50.000		Recovery =	44.19%
Target Compounds			
1) T n-Nonane (C9)	3.150	3231547	22.439 ug/ml
2) T n-Decane (C10)	4.198	3270789	22.556 ug/ml
3) T A~Naphthalene (C11.7)	5.767	3368075	23.806 ug/ml
4) T n-Dodecane (C12)	6.194	3366891	22.506 ug/ml
5) T A~2-methylnaphthalene...	6.813	3338725	24.192 ug/ml
6) T n-Tetradecane (C14)	7.974	3440091	22.528 ug/ml
7) T n-Hexadecane (C16)	9.562	3447639	22.540 ug/ml
8) T n-Octadecane (C18)	10.993	3488125	22.123 ug/ml
10) T n-Eicosane (C20)	12.292	3504030	21.898 ug/ml
11) T n-Heneicosane (C21)	12.899	3498475	21.686 ug/ml
13) T n-Docosane (C22)	13.479	3476543	21.621 ug/ml
14) T n-Tetracosane (C24)	14.572	3385239	21.361 ug/ml
15) T n-Hexacosane (C26)	15.582	3254762	20.898 ug/ml
16) T n-Octacosane (C28)	16.523	3075132	20.310 ug/ml
17) T n-Tricontane (C30)	17.401	2960106	19.867 ug/ml
18) T n-Dotriacontane (C32)	18.223	2781070	19.482 ug/ml
19) T n-Tetratriacontane (C34)	18.996	2394323	18.319 ug/ml
20) T n-Hexatriacontane (C36)	19.727	2029496	16.398 ug/ml
21) T n-Octatriacontane (C38)	20.418	1851147	15.845 ug/mlm
22) T n-Tetracontane (C40)	21.182	2038806	18.447 ug/ml

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD091522AL\
Data File : FD043890.D
Signal(s) : FID2B.ch
Acq On : 15 Sep 2022 10:48
Operator : YP/AJ
Sample : 20 PPM ALIPHATIC HC STD
Misc :
ALS Vial : 53 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :
20 PPM ALIPHATIC HC STD

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 09/15/2022
Supervised By :Ankita Jodhani 09/16/2022

Integration File: autoint1.e
Quant Time: Sep 15 13:26:41 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aliphatic EPH 090722.M
Quant Title : GC Extractables
QLast Update : Wed Sep 07 17:10:44 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um

