

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD092024AR\
 Data File : FD048355.D
 Signal(s) : FID2B.ch
 Acq On : 20 Sep 2024 12:53
 Operator : YP/AJ
 Sample : P4104-07DL2 10X
 Misc :
 ALS Vial : 59 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 WC-14-5-7.5B-EPH-2DL2

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 09/23/2024
 Supervised By :Ankita Jodhani 09/23/2024

Integration File: autoint1.e
 Quant Time: Sep 21 02:14:48 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 090624.M
 Quant Title : GC Extractables
 QLast Update : Fri Sep 06 11:53:01 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.385	930661	6.136 ug/mlm
Spiked Amount 50.000		Recovery =	12.27%
6) S 2-Fluorobiphenyl (SURR)	8.238	478927	5.012 ug/mlm
Spiked Amount 50.000 Range 0 - 131		Recovery =	10.02%
11) S ortho-Terphenyl (SURR)	11.270	415889	2.424 ug/ml
Spiked Amount 50.000		Recovery =	4.85%

Target Compounds

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD092024AR\
Data File : FD048355.D
Signal(s) : FID2B.ch
Acq On : 20 Sep 2024 12:53
Operator : YP/AJ
Sample : P4104-07DL2 10X
Misc :
ALS Vial : 59 Sample Multiplier: 1


Instrument :
FID_D
ClientSampleId :
WC-14-5-7.5B-EPH-2DL2


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 09/23/2024
Supervised By :Ankita Jodhani 09/23/2024

Integration File: autoint1.e
Quant Time: Sep 21 02:14:48 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 090624.M
Quant Title : GC Extractables
QLast Update : Fri Sep 06 11:53:01 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#4 2-Bromonaphthalene (SURR)

R.T.: 7.385 min
Delta R.T.: -0.006 min
Response: 930661
Conc: 6.14 ug/ml

Instrument :
FID_D
ClientSampleId :
WC-14-5-7.5B-EPH-2DL2


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 09/23/2024
Supervised By :Ankita Jodhani 09/23/2024



#6 2-Fluorobiphenyl (SURR)

R.T.: 8.238 min
Delta R.T.: -0.005 min
Response: 478927
Conc: 5.01 ug/ml m



#11 ortho-Terphenyl (SURR)

R.T.: 11.270 min
Delta R.T.: -0.007 min
Response: 415889
Conc: 2.42 ug/ml