

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD092220AR\
 Data File : FD034803.D
 Signal(s) : FID2B.CH
 Acq On : 22 Sep 2020 9:07
 Operator : DD\AJ
 Sample : 20 PPM AROMATIC HC STD
 Misc :
 ALS Vial : 52 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :

Integration File: autoint1.e
 Quant Time: Sep 23 02:57:43 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 083120.M
 Quant Title : GC Extractables
 QLast Update : Tue Sep 01 02:30:57 2020
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.682	2079569	20.275 ug/ml
Spiked Amount 50.000		Recovery =	40.55%
6) S 2-Fluorobiphenyl (SURR)	8.548	1438631	19.995 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	39.99%
11) S ortho-Terphenyl (SURR)	11.588	2383149	19.893 ug/ml
Spiked Amount 50.000		Recovery =	39.79%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	4.476	2377086	20.996 ug/ml
2) T Naphthalene (C11.7)	6.020	2389141	20.469 ug/ml
3) T 2-Methylnaphthalene (...)	7.073	2399605	20.317 ug/ml
5) T Acenaphthylene (C15.06)	8.350	2316939	19.825 ug/ml
7) T Acenaphthene (C15.5)	8.646	2384032	20.037 ug/ml
8) T Flouorene (C16.55)	9.427	2289636	19.858 ug/ml
9) T Phenanthrene (C19.36)	10.826	2273581	19.499 ug/ml
10) T Anthracene (C19.43)	10.900	1981468	17.394 ug/ml
12) T Fluoranthene (C21.85)	12.638	2288438	19.624 ug/ml
13) T Pyrene (C20.8)	12.936	2223205	19.590 ug/ml
14) T Benzo[a]anthracene (C...	14.808	2142946	19.417 ug/ml
15) T Chrysene (C27.41)	14.851	2208536	19.773 ug/ml
16) T benzo[b]fluoranthene ...	16.392	2167402	20.235 ug/ml
17) T Bnezo[k]fluoranthene ...	16.392	2167402	20.441 ug/ml
18) T Benzo[a]pyrene (C31.34)	16.740	2161925	20.530 ug/ml
19) T Indeno[1,2,3-cd]pyren...	18.142	2173771	21.458 ug/ml
20) T Dibenz[a,h]anthracene...	18.142	2173771	21.395 ug/ml
21) T Benzo[g,h,i]perylene ...	18.359	2174938	21.540 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD092220AR\
Data File : FD034803.D
Signal(s) : FID2B.CH
Acq On : 22 Sep 2020 9:07
Operator : DD\AJ
Sample : 20 PPM AROMATIC HC STD
Misc :
ALS Vial : 52 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :

Integration File: autoint1.e
Quant Time: Sep 23 02:57:43 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 083120.M
Quant Title : GC Extractables
QLast Update : Tue Sep 01 02:30:57 2020
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#1 1,2,3-Trimethylbenzene (C10.1)


R.T.: 4.476 min
Delta R.T.: -0.010 min
Response: 2377086
Conc: 21.00 ug/ml

Instrument :
FID_D
ClientSampleId :




#2 Naphthalene (C11.7)

R.T.: 6.020 min
Delta R.T.: -0.012 min
Response: 2389141
Conc: 20.47 ug/ml




#3 2-Methylnaphthalene (C12.89)

R.T.: 7.073 min
Delta R.T.: -0.014 min
Response: 2399605
Conc: 20.32 ug/ml



#4 2-Bromonaphthalene (SURR)


R.T.: 7.682 min
Delta R.T.: -0.013 min
Response: 2079569
Conc: 20.28 ug/ml



#5 Acenaphthylene (C15.06)


R.T.: 8.350 min
Delta R.T.: -0.015 min
Response: 2316939
Conc: 19.82 ug/ml

Instrument :
FID_D
ClientSampleId :




#6 2-Fluorobiphenyl (SURR)

R.T.: 8.548 min
Delta R.T.: -0.014 min
Response: 1438631
Conc: 19.99 ug/ml




#7 Acenaphthene (C15.5)

R.T.: 8.646 min
Delta R.T.: -0.017 min
Response: 2384032
Conc: 20.04 ug/ml



#8 Flouorene (C16.55)


R.T.: 9.427 min
Delta R.T.: -0.017 min
Response: 2289636
Conc: 19.86 ug/ml



#9 Phenanthrene (C19.36)


R.T.: 10.826 min
Delta R.T.: -0.017 min
Response: 2273581
Conc: 19.50 ug/ml

Instrument :
FID_D
ClientSampleId :




#10 Anthracene (C19.43)

R.T.: 10.900 min
Delta R.T.: -0.019 min
Response: 1981468
Conc: 17.39 ug/ml




#11 ortho-Terphenyl (SURR)

R.T.: 11.588 min
Delta R.T.: -0.016 min
Response: 2383149
Conc: 19.89 ug/ml



#12 Fluoranthene (C21.85)


R.T.: 12.638 min
Delta R.T.: -0.020 min
Response: 2288438
Conc: 19.62 ug/ml



#13 Pyrene (C20.8)


R.T.: 12.936 min
Delta R.T.: -0.021 min
Response: 2223205
Conc: 19.59 ug/ml

Instrument :
FID_D
ClientSampleId :




#14 Benzo[a]anthracene (C26.37)

R.T.: 14.808 min
Delta R.T.: -0.019 min
Response: 2142946
Conc: 19.42 ug/ml




#15 Chrysene (C27.41)

R.T.: 14.851 min
Delta R.T.: -0.025 min
Response: 2208536
Conc: 19.77 ug/ml



#16 benzo[b]fluoranthene (C30.41)


R.T.: 16.392 min
Delta R.T.: 0.011 min
Response: 2167402
Conc: 20.24 ug/ml



#17 Bnezo[k]fluoranthene (C30.14)


R.T.: 16.392 min
Delta R.T.: -0.028 min
Response: 2167402
Conc: 20.44 ug/ml

Instrument :
FID_D
ClientSampleId :




#18 Benzo[a]pyrene (C31.34)

R.T.: 16.740 min
Delta R.T.: -0.024 min
Response: 2161925
Conc: 20.53 ug/ml




#19 Indeno[1,2,3-cd]pyrene (C35.01)

R.T.: 18.142 min
Delta R.T.: 0.011 min
Response: 2173771
Conc: 21.46 ug/ml



#20 Dibenz[a,h]anthracene (C30.36)

R.T.: 18.142 min
Delta R.T.: -0.026 min
Response: 2173771
Conc: 21.39 ug/ml



#21 Benzo[g,h,i]perylene (C34.01)

R.T.: 18.359 min
Delta R.T.: -0.033 min
Response: 2174938
Conc: 21.54 ug/ml

Instrument :
FID_D
ClientSampleId :