

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD092324AR\
 Data File : FD048375.D
 Signal(s) : FID2B.ch
 Acq On : 23 Sep 2024 11:27
 Operator : YP/AJ
 Sample : P4104-22DL 5X
 Misc :
 ALS Vial : 57 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 WC-22A-EPH-2DL

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 09/24/2024
 Supervised By :Ankita Jodhani 09/24/2024

Integration File: autoint1.e
 Quant Time: Sep 24 01:29:35 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 090624.M
 Quant Title : GC Extractables
 QLast Update : Fri Sep 06 11:53:01 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.384	2269085	14.961 ug/mlm
Spiked Amount 50.000		Recovery =	29.92%
6) S 2-Fluorobiphenyl (SURR)	8.235	1110129	11.618 ug/mlm
Spiked Amount 50.000 Range 0 - 131		Recovery =	23.24%
11) S ortho-Terphenyl (SURR)	11.268	1700230	9.910 ug/mlm
Spiked Amount 50.000		Recovery =	19.82%

Target Compounds

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD092324AR\
Data File : FD048375.D
Signal(s) : FID2B.ch
Acq On : 23 Sep 2024 11:27
Operator : YP/AJ
Sample : P4104-22DL 5X
Misc :
ALS Vial : 57 Sample Multiplier: 1


Instrument :
FID_D
ClientSampleId :
WC-22A-EPH-2DL


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 09/24/2024
Supervised By :Ankita Jodhani 09/24/2024

Integration File: autoint1.e
Quant Time: Sep 24 01:29:35 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 090624.M
Quant Title : GC Extractables
QLast Update : Fri Sep 06 11:53:01 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#4 2-Bromonaphthalene (SURR)

R.T.: 7.384 min
Delta R.T.: -0.007 min
Response: 2269085
Conc: 14.96 ug/ml

Instrument :
FID_D
ClientSampleId :
WC-22A-EPH-2DL


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 09/24/2024
Supervised By :Ankita Jodhani 09/24/2024



#6 2-Fluorobiphenyl (SURR)

R.T.: 8.235 min
Delta R.T.: -0.008 min
Response: 1110129
Conc: 11.62 ug/ml



#11 ortho-Terphenyl (SURR)

R.T.: 11.268 min
Delta R.T.: -0.009 min
Response: 1700230
Conc: 9.91 ug/ml