

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD092921AR\
 Data File : FD038966.D
 Signal(s) : FID2B.CH
 Acq On : 30 Sep 2021 00:25
 Operator : AJ\MA
 Sample : 20 PPM AROMATIC HC STD3
 Misc :
 ALS Vial : 54 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 20 PPM AROMATIC HC STD3

Integration File: autoint1.e
 Quant Time: Sep 30 02:31:23 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 092921.M
 Quant Title : GC Extractables
 QLast Update : Thu Sep 30 02:30:01 2021
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.766	2615963	20.000 ug/ml
Spiked Amount 50.000		Recovery =	40.00%
6) S 2-Fluorobiphenyl (SURR)	8.636	1781355	20.000 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	40.00%
11) S ortho-Terphenyl (SURR)	11.679	2739953	20.000 ug/ml
Spiked Amount 50.000		Recovery =	40.00%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	4.554	2804993	20.000 ug/ml
2) T Naphthalene (C11.7)	6.102	2957459	20.000 ug/ml
3) T 2-Methylnaphthalene (...)	7.157	2983314	20.000 ug/ml
5) T Acenaphthylene (C15.06)	8.439	2742454	20.000 ug/ml
7) T Acenaphthene (C15.5)	8.735	2889624	20.000 ug/ml
8) T Flouorene (C16.55)	9.517	2844813	20.000 ug/ml
9) T Phenanthrene (C19.36)	10.918	2772564	20.000 ug/ml
10) T Anthracene (C19.43)	10.993	2738106	20.000 ug/ml
12) T Fluoranthene (C21.85)	12.733	2741669	20.000 ug/ml
13) T Pyrene (C20.8)	13.032	2668016	20.000 ug/ml
14) T Benzo[a]anthracene (C...	14.903	2418770	20.000 ug/ml
15) T Chrysene (C27.41)	14.946	2523501	20.000 ug/ml
16) T benzo[b]fluoranthene ...	16.455	2345251	20.000 ug/ml
17) T Bnezo[k]fluoranthene ...	16.488	2331468	20.000 ug/ml
18) T Benzo[a]pyrene (C31.34)	16.834	2266046	20.000 ug/ml
19) T Indeno[1,2,3-cd]pyren...	18.199	2132117	20.000 ug/ml
20) T Dibenz[a,h]anthracene...	18.236	2118198	20.000 ug/ml
21) T Benzo[g,h,i]perylene ...	18.454	2144002	20.000 ug/ml

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD092921AR\
Data File : FD038966.D
Signal(s) : FID2B.CH
Acq On : 30 Sep 2021 00:25
Operator : AJ\MA
Sample : 20 PPM AROMATIC HC STD3
Misc :
ALS Vial : 54 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :
20 PPM AROMATIC HC STD3

Integration File: autoint1.e
Quant Time: Sep 30 02:31:23 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 092921.M
Quant Title : GC Extractables
QLast Update : Thu Sep 30 02:30:01 2021
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm

