

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD100225AR\
 Data File : FD049796.D
 Signal(s) : FID2B.ch
 Acq On : 02 Oct 2025 13:09
 Operator : YP/AJ
 Sample : 20 PPM AROMATIC HC STD ICV
 Misc :
 ALS Vial : 61 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 20 PPM AROMATIC HC STD ICV

Integration File: autoint1.e
 Quant Time: Oct 02 17:50:43 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 100225.M
 Quant Title : GC Extractables
 QLast Update : Thu Oct 02 17:50:17 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.696	2142320	18.031 ug/ml
Spiked Amount 50.000		Recovery =	36.06%
6) S 2-Fluorobiphenyl (SURR)	8.560	1535927	18.091 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	36.18%
11) S ortho-Terphenyl (SURR)	11.605	2694154	18.047 ug/ml
Spiked Amount 50.000		Recovery =	36.09%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	4.488	2048815	18.029 ug/ml
2) T Naphthalene (C11.7)	6.031	2385418	18.080 ug/ml
3) T 2-Methylnaphthalene (...)	7.085	2492740	18.016 ug/ml
5) T Acenaphthylene (C15.06)	8.363	2633294	18.024 ug/ml
7) T Acenaphthene (C15.5)	8.659	2631149	18.070 ug/ml
8) T Flouorene (C16.55)	9.440	2645074	18.112 ug/ml
9) T Phenanthrene (C19.36)	10.838	2634207	18.020 ug/ml
10) T Anthracene (C19.43)	10.913	2531114	18.626 ug/ml
12) T Fluoranthene (C21.85)	12.651	2549562	17.896 ug/ml
13) T Pyrene (C20.8)	12.949	2513219	17.878 ug/ml
14) T Benzo[a]anthracene (C...	14.821	2229772	17.729 ug/ml
15) T Chrysene (C27.41)	14.863	2267078	17.647 ug/ml
16) T benzo[b]fluoranthene ...	16.371	2192575	17.602 ug/ml
17) T Bnezo[k]fluoranthene ...	16.403	2077138	17.683 ug/ml
18) T Benzo[a]pyrene (C31.34)	16.749	2143280	17.661 ug/ml
19) T Indeno[1,2,3-cd]pyren...	18.112	1963429	17.462 ug/ml
20) T Dibenz[a,h]anthracene...	18.153	2059645	16.847 ug/ml
21) T Benzo[g,h,i]perylene ...	18.367	2106918	17.616 ug/ml

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD100225AR\
Data File : FD049796.D
Signal(s) : FID2B.ch
Acq On : 02 Oct 2025 13:09
Operator : YP/AJ
Sample : 20 PPM AROMATIC HC STD ICV
Misc :
ALS Vial : 61 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :
20 PPM AROMATIC HC STD ICV

Integration File: autoint1.e
Quant Time: Oct 02 17:50:43 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 100225.M
Quant Title : GC Extractables
QLast Update : Thu Oct 02 17:50:17 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm

