

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD100322AR\
 Data File : FD044021.D
 Signal(s) : FID2B.ch
 Acq On : 03 Oct 2022 17:30
 Operator : YP/AJ
 Sample : 20 PPM AROMATIC HC STD
 Misc :
 ALS Vial : 52 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Oct 04 07:05:36 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 091522.M
 Quant Title : GC Extractables
 QLast Update : Wed Sep 14 19:37:45 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.420	3057925	23.240 ug/ml
Spiked Amount 50.000		Recovery =	46.48%
6) S 2-Fluorobiphenyl (SURR)	8.276	1680182	23.291 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	46.58%
11) S ortho-Terphenyl (SURR)	11.305	3918246	21.033 ug/ml
Spiked Amount 50.000		Recovery =	42.07%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	4.233	3664846	24.386 ug/mlm
2) T Naphthalene (C11.7)	5.762	3522184	24.735 ug/mlm
3) T 2-Methylnaphthalene (...)	6.807	3510772	23.999 ug/ml
5) T Acenaphthylene (C15.06)	8.076	3277401	21.240 ug/ml
7) T Acenaphthene (C15.5)	8.367	3666148	20.949 ug/ml
8) T Flouorene (C16.55)	9.148	3055973	20.791 ug/ml
9) T Phenanthrene (C19.36)	10.540	2927769	20.232 ug/ml
10) T Anthracene (C19.43)	10.617	2845047	19.386 ug/ml
12) T Fluoranthene (C21.85)	12.344	2946741	19.212 ug/ml
13) T Pyrene (C20.8)	12.639	2914325	19.591 ug/ml
14) T Benzo[a]anthracene (C...	14.507	2355379	21.070 ug/ml
15) T Chrysene (C27.41)	14.548	3013211	19.280 ug/ml
16) T benzo[b]fluoranthene ...	16.052	2246310	19.262 ug/ml
17) T Bnezo[k]fluoranthene ...	16.083	2954317	19.899 ug/ml
18) T Benzo[a]pyrene (C31.34)	16.434	2326834	19.210 ug/ml
19) T Indeno[1,2,3-cd]pyren...	17.798	1391513	14.635 ug/mlm
20) T Dibenz[a,h]anthracene...	17.837	1957008	16.291 ug/ml
21) T Benzo[g,h,i]perylene ...	18.044	1956182	17.166 ug/ml

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD100322AR\
Data File : FD044021.D
Signal(s) : FID2B.ch
Acq On : 03 Oct 2022 17:30
Operator : YP/AJ
Sample : 20 PPM AROMATIC HC STD
Misc :
ALS Vial : 52 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Oct 04 07:05:36 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 091522.M
Quant Title : GC Extractables
QLast Update : Wed Sep 14 19:37:45 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm

