

Instrument :
FID_D
ClientSampleId :
TP-2AMS

rteres

Area Percent Report

Manual Integrations
APPROVED

mohammad
10/5/2021 12:18:42 PM

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD100421AL\
Data File : FD038995.D
Signal(s) : FID2B.CH
Acq On : 05 Oct 2021 1:40
Sample : M4039-06MS
Misc :
ALS Vial : 72 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aliphatic EPH 092921.M
Title : GC Extractables

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.442	3.410	3.474	BB	518275	4171450	34.98%	1.863%
2	4.511	4.473	4.533	BV	553541	4864738	40.79%	2.173%
3	4.556	4.533	4.584	VB	552815	4823374	40.45%	2.154%
4	6.100	6.064	6.127	BV	607305	5532528	46.39%	2.471%
5	6.147	6.127	6.176	PB	41836	389661	3.27%	0.174%
6	6.525	6.489	6.560	BB	546512	5306097	44.49%	2.370%
7	7.156	7.113	7.193	BB	574542	5540974	46.46%	2.475%
8	7.766	7.727	7.803	BB	678135	6739737	56.52%	3.010%
9	8.319	8.279	8.355	BB	548004	5740500	48.14%	2.564%
10	8.438	8.399	8.476	BB	593662	6013558	50.43%	2.686%
11	8.636	8.593	8.661	BB	457342	4647710	38.97%	2.076%
12	8.735	8.690	8.772	BB	630642	6308239	52.90%	2.818%
13	9.517	9.472	9.547	BB	624087	6233442	52.27%	2.784%
14	9.916	9.871	9.954	BB	555519	6123902	51.35%	2.735%
15	10.919	10.860	10.950	BB	596094	6415150	53.80%	2.865%
16	10.994	10.963	11.033	BB	593201	6404908	53.71%	2.861%
17	11.355	11.309	11.390	BB	565658	6458455	54.16%	2.885%
18	11.679	11.637	11.718	BB	449245	4882162	40.94%	2.181%
19	12.260	12.230	12.292	BB	23945	253294	2.12%	0.113%
20	12.661	12.613	12.697	BV	533085	6287557	52.73%	2.808%
21	12.735	12.697	12.771	PB	562931	6429471	53.92%	2.872%
22	13.034	12.986	13.060	BV	565533	6395250	53.63%	2.857%
23	13.104	13.060	13.131	VV	323564	3884322	32.57%	1.735%
24	13.270	13.224	13.306	BB	516165	6268445	52.56%	2.800%
25	13.854	13.806	13.894	BB	513918	6203442	52.02%	2.771%
26	14.906	14.853	14.925	BV	454576	5987643	50.21%	2.675%
27	14.952	14.925	14.988	VB	1006572	11925156	100.00%	5.327%
28	15.972	15.923	16.018	BB	465553	6003497	50.34%	2.682%
29	16.458	16.406	16.473	BV	421117	5890608	49.40%	2.631%
30	16.493	16.473	16.518	VB	481473	5573448	46.74%	2.490%
31	16.839	16.780	16.864	BV	406046	5598479	46.95%	2.501%
32	16.916	16.864	16.948	PV	439098	5882446	49.33%	2.628%
33	17.800	17.748	17.843	BB	405941	5647543	47.36%	2.523%
34	18.204	18.128	18.218	BV	351146	5087947	42.67%	2.273%
35	18.242	18.218	18.278	VB	394378	5022845	42.12%	2.244%
36	18.463	18.403	18.506	BB	363471	5179850	43.44%	2.314%

					rt	Area	%Area	%Area
37	18.629	18.577	18.683	BB	394571	5467788	45.85%	2.442%
38	19.407	19.357	19.452	BB	352583	5027570	42.16%	2.246%
39	20.143	20.097	20.213	BB	312275	4655320	39.04%	2.079%
40	20.884	20.826	20.937	BB	236262	4248022	35.62%	1.897%
41	21.812	21.736	21.900	BBA	180754	4360979	36.57%	1.948%
					Sum of corrected areas:		223877505	

Instrument :
FID_D
ClientSampleId :
TP-2AMS

Manual Integrations
APPROVED

mohammad
10/5/2021 12:18:42 PM

Aliphatic EPH 092921.M Tue Oct 05 09:51:52 2021