

Instrument :
FID_D
ClientSampleId :
TP-2AMSD

rteres

Area Percent Report

Manual Integrations
APPROVED

mohammad
10/5/2021 12:18:45 PM

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD100421AL\
Data File : FD038996.D
Signal(s) : FID2B.CH
Acq On : 05 Oct 2021 2:19
Sample : M4039-06MSD
Misc :
ALS Vial : 73 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aliphatic EPH 092921.M
Title : GC Extractables

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.442	3.410	3.478	BB	511240	4212521	35.05%	1.868%
2	4.510	4.474	4.532	BV	558418	4915778	40.91%	2.180%
3	4.555	4.532	4.586	VB	564209	4877623	40.59%	2.163%
4	6.100	6.064	6.129	BV	612176	5600173	46.60%	2.484%
5	6.147	6.129	6.179	PB	43375	394058	3.28%	0.175%
6	6.525	6.484	6.559	BB	551233	5346270	44.49%	2.371%
7	7.155	7.109	7.194	BB	568973	5597572	46.58%	2.483%
8	7.765	7.724	7.800	BB	693616	6796029	56.55%	3.014%
9	8.319	8.277	8.353	BB	559435	5776676	48.07%	2.562%
10	8.437	8.393	8.475	BB	605949	6062766	50.45%	2.689%
11	8.636	8.592	8.662	BB	467537	4686055	38.99%	2.078%
12	8.735	8.691	8.772	BB	630997	6364238	52.96%	2.823%
13	9.517	9.472	9.543	BB	619449	6281723	52.27%	2.786%
14	9.916	9.872	9.945	BB	567910	6151622	51.19%	2.728%
15	10.919	10.855	10.951	BB	595866	6464298	53.79%	2.867%
16	10.995	10.962	11.031	BB	602074	6455176	53.72%	2.863%
17	11.355	11.310	11.387	BB	569366	6493586	54.04%	2.880%
18	11.679	11.637	11.720	BB	454717	4915963	40.91%	2.180%
19	12.260	12.230	12.292	BB	22651	252075	2.10%	0.112%
20	12.661	12.614	12.694	BV	558529	6322470	52.61%	2.804%
21	12.735	12.694	12.770	PB	570511	6486838	53.98%	2.877%
22	13.035	12.990	13.062	BV	564407	6452563	53.69%	2.862%
23	13.104	13.062	13.129	VV	344086	3908432	32.52%	1.733%
24	13.271	13.226	13.303	BB	519695	6304119	52.46%	2.796%
25	13.855	13.809	13.896	BB	505155	6238601	51.91%	2.767%
26	14.906	14.853	14.924	BV	460226	6043805	50.29%	2.680%
27	14.952	14.924	14.989	VB	986039	12017080	100.00%	5.330%
28	15.972	15.925	16.017	BB	449672	6045128	50.30%	2.681%
29	16.459	16.406	16.474	BV	399486	5938930	49.42%	2.634%
30	16.494	16.474	16.519	VB	488390	5635043	46.89%	2.499%
31	16.839	16.787	16.865	BV	434597	5643515	46.96%	2.503%
32	16.917	16.865	16.949	PV	450081	5927811	49.33%	2.629%
33	17.800	17.751	17.848	BB	420680	5693678	47.38%	2.525%
34	18.204	18.128	18.219	BV	353088	5123263	42.63%	2.272%
35	18.243	18.219	18.279	VB	384660	5076089	42.24%	2.251%
36	18.463	18.399	18.505	BB	374750	5216907	43.41%	2.314%

					rt	Area	%Area	%Area
37	18.629	18.574	18.681	BB	403931	5531930	46.03%	2.453%
38	19.408	19.355	19.454	BB	356082	5080789	42.28%	2.253%
39	20.143	20.088	20.194	BB	319875	4583516	38.14%	2.033%
40	20.883	20.827	20.937	BB	237451	4279651	35.61%	1.898%
41	21.810	21.740	21.880	BB	177072	4283505	35.65%	1.900%
Sum of corrected areas:						225477861		

Instrument :
FID_D
ClientSampleId :
TP-2AMSD

Manual Integrations
APPROVED

mohammad
10/5/2021 12:18:45 PM

Aliphatic EPH 092921.M Tue Oct 05 09:52:00 2021