

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD100423AR\
 Data File : FD046643.D
 Signal(s) : FID2B.ch
 Acq On : 04 Oct 2023 22:09
 Operator : YP/AJ
 Sample : 04695-08
 Misc :
 ALS Vial : 64 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :

Integration File: autoint1.e
 Quant Time: Oct 05 00:16:23 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 091523.M
 Quant Title : GC Extractables
 QLast Update : Fri Sep 15 01:47:22 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.491	8574947	48.659 ug/ml
Spiked Amount 50.000		Recovery =	97.32%
6) S 2-Fluorobiphenyl (SURR)	8.343	5278857	45.563 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	91.13%
11) S ortho-Terphenyl (SURR)	11.383	9403646	46.158 ug/ml
Spiked Amount 50.000		Recovery =	92.32%
Target Compounds			
3) T 2-Methylnaphthalene (...)	6.886	29920	0.154 ug/ml
14) T Benzo[a]anthracene (C...	14.623	39904	0.286 ug/ml
15) T Chrysene (C27.41)	14.623	39904	0.263 ug/ml
19) T Indeno[1,2,3-cd]pyren...	17.843	319499	2.549 ug/ml
20) T Dibenz[a,h]anthracene...	17.889	74626	0.561 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD100423AR\
Data File : FD046643.D
Signal(s) : FID2B.ch
Acq On : 04 Oct 2023 22:09
Operator : YP/AJ
Sample : 04695-08
Misc :
ALS Vial : 64 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :

Integration File: autoint1.e
Quant Time: Oct 05 00:16:23 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 091523.M
Quant Title : GC Extractables
QLast Update : Fri Sep 15 01:47:22 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#3 2-Methylnaphthalene (C12.89)


R.T.: 6.886 min
Delta R.T.: 0.004 min
Response: 29920
Conc: 0.15 ug/ml

Instrument :
FID_D
ClientSampleId :




#4 2-Bromonaphthalene (SURR)

R.T.: 7.491 min
Delta R.T.: -0.003 min
Response: 8574947
Conc: 48.66 ug/ml




#6 2-Fluorobiphenyl (SURR)

R.T.: 8.343 min
Delta R.T.: -0.004 min
Response: 5278857
Conc: 45.56 ug/ml



#11 ortho-Terphenyl (SURR)


R.T.: 11.383 min
Delta R.T.: -0.004 min
Response: 9403646
Conc: 46.16 ug/ml



#14 Benzo[a]anthracene (C26.37)


R.T.: 14.623 min
Delta R.T.: 0.046 min
Response: 39904
Conc: 0.29 ug/ml

Instrument :
FID_D
ClientSampleId :




#15 Chrysene (C27.41)

R.T.: 14.623 min
Delta R.T.: 0.002 min
Response: 39904
Conc: 0.26 ug/ml



#19 Indeno[1,2,3-cd]pyrene (C35.01)

R.T.: 17.843 min
Delta R.T.: -0.010 min
Response: 319499
Conc: 2.55 ug/ml



#20 Dibenz[a,h]anthracene (C30.36)

R.T.: 17.889 min
Delta R.T.: -0.005 min
Response: 74626
Conc: 0.56 ug/ml