

Instrument :
FID_D
ClientSampleId :
LOD-MDL-WATER-01-QT4-2023

rteres

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD
Data File : FD046662.D
Signal(s) : FID2B.ch
Acq On : 05 Oct 2023 16:37
Sample : 04699-07
Misc : 4PPM WATER LOD
ALS Vial : 64 Sample Multiplier: 1

Reviewed By :Yogesh Patel 10/06/2023
Supervised By :Ankita Jodhani 10/06/2023

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 091523.M
Title : GC Extractables

Signal : FID2B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.301	4.281	4.350	VB	76391	658127	7.41%	1.867%
2	5.827	5.773	5.898	BB	82206	758274	8.54%	2.152%
3	6.875	6.843	6.938	PB	77761	767948	8.65%	2.179%
4	7.490	7.460	7.567	PV	870114	8356536	94.09%	23.711%
5	8.143	8.092	8.192	PB	78974	779179	8.77%	2.211%
6	8.343	8.265	8.413	PV	554750	5565465	62.67%	15.792%
7	8.438	8.413	8.498	VB	78432	775198	8.73%	2.200%
8	9.217	9.105	9.275	BB	73688	765822	8.62%	2.173%
9	10.604	10.530	10.649	PV	69394	744612	8.38%	2.113%
10	10.679	10.649	10.748	VB	62342	711296	8.01%	2.018%
11	11.382	11.317	11.443	BB	807590	8881060	100.00%	25.200%
12	12.406	12.385	12.473	VB	64664	750272	8.45%	2.129%
13	12.700	12.660	12.750	BV	67909	743496	8.37%	2.110%
14	14.562	14.528	14.583	BV	52519	628515	7.08%	1.783%
15	14.603	14.583	14.637	VV	54958	695923	7.84%	1.975%
16	16.102	16.035	16.118	BV	52504	614672	6.92%	1.744%
17	16.133	16.118	16.197	VB	51298	655079	7.38%	1.859%
18	16.478	16.413	16.550	BV	45621	587413	6.61%	1.667%
19	17.833	17.800	17.856	BV	41543	552558	6.22%	1.568%
20	17.877	17.856	17.975	VB	37288	672125	7.57%	1.907%
21	18.083	18.017	18.153	BV	42123	579406	6.52%	1.644%
Sum of corrected areas:						35242977		

Aromatic EPH 091523.M Fri Oct 06 01:53:36 2023