

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD100623AR\
 Data File : FD046666.D
 Signal(s) : FID2B.ch
 Acq On : 06 Oct 2023 07:25
 Operator : YP/AJ
 Sample : I.BLK
 Misc :
 ALS Vial : 51 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Oct 07 02:37:26 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 091523.M
 Quant Title : GC Extractables
 QLast Update : Fri Sep 15 01:47:22 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

	Compound	R.T.	Response	Conc Units

System Monitoring Compounds				
Target Compounds				
14) T	Benzo[a]anthracene (C...	14.623	20119	0.144 ug/ml
15) T	Chrysene (C27.41)	14.623	20119	0.133 ug/ml
16) T	benzo[b]fluoranthene ...	16.151	39945	0.291 ug/ml
17) T	Bnezo[k]fluoranthene ...	16.151	39945	0.288 ug/ml
19) T	Indeno[1,2,3-cd]pyren...	17.913f	74025	0.591 ug/ml
20) T	Dibenz[a,h]anthracene...	17.913	74025	0.556 ug/ml


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD100623AR\
Data File : FD046666.D
Signal(s) : FID2B.ch
Acq On : 06 Oct 2023 07:25
Operator : YP/AJ
Sample : I.BLK
Misc :
ALS Vial : 51 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Oct 07 02:37:26 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 091523.M
Quant Title : GC Extractables
QLast Update : Fri Sep 15 01:47:22 2023
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#4 2-Bromonaphthalene (SURR)

R.T.: 0.000 min
Exp R.T.: 7.494 min
Response: 0
Conc: N.D.




#6 2-Fluorobiphenyl (SURR)

R.T.: 0.000 min
Exp R.T.: 8.347 min
Response: 0
Conc: N.D.




#11 ortho-Terphenyl (SURR)

R.T.: 0.000 min
Exp R.T.: 11.386 min
Response: 0
Conc: N.D.




#14 Benzo[a]anthracene (C26.37)

R.T.: 14.623 min
Delta R.T.: 0.046 min
Response: 20119
Conc: 0.14 ug/ml




#15 Chrysene (C27.41)

R.T.: 14.623 min
Delta R.T.: 0.002 min
Response: 20119
Conc: 0.13 ug/ml




#16 benzo[b]fluoranthene (C30.41)

R.T.: 16.151 min
Delta R.T.: 0.032 min
Response: 39945
Conc: 0.29 ug/ml




#17 Bnezo[k]fluoranthene (C30.14)

R.T.: 16.151 min
Delta R.T.: -0.002 min
Response: 39945
Conc: 0.29 ug/ml



#19 Indeno[1,2,3-cd]pyrene (C35.01)

R.T.: 17.913 min
Delta R.T.: 0.060 min
Response: 74025
Conc: 0.59 ug/ml



#20 Dibenz[a,h]anthracene (C30.36)

R.T.: 17.913 min
Delta R.T.: 0.019 min
Response: 74025
Conc: 0.56 ug/ml