

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD101323AR\
 Data File : FD046734.D
 Signal(s) : FID2B.ch
 Acq On : 13 Oct 2023 08:35
 Operator : YP/AJ
 Sample : MECL2
 Misc :
 ALS Vial : 51 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :

Integration File: autoint1.e
 Quant Time: Oct 14 02:56:27 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 101023.M
 Quant Title : GC Extractables
 QLast Update : Wed Oct 11 02:49:06 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
11) S ortho-Terphenyl (SURR)	11.358	80135	0.370 ug/ml
Spiked Amount 50.000		Recovery =	0.74%
Target Compounds			
14) T Benzo[a]anthracene (C...	14.619	473847	3.236 ug/ml
15) T Chrysene (C27.41)	14.619	473847	2.945 ug/ml
17) T Bnezo[k]fluoranthene ...	16.208f	44545	0.296 ug/ml
18) T Benzo[a]pyrene (C31.34)	16.517	45267	0.320 ug/ml
19) T Indeno[1,2,3-cd]pyren...	17.782f	37396	0.276 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD101323AR\
Data File : FD046734.D
Signal(s) : FID2B.ch
Acq On : 13 Oct 2023 08:35
Operator : YP/AJ
Sample : MECL2
Misc :
ALS Vial : 51 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :

Integration File: autoint1.e
Quant Time: Oct 14 02:56:27 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 101023.M
Quant Title : GC Extractables
QLast Update : Wed Oct 11 02:49:06 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#4 2-Bromonaphthalene (SURRE)


R.T.: 0.000 min
Exp R.T.: 7.488 min
Response: 0
Conc: N.D.

Instrument :
FID_D
ClientSampleId :




#6 2-Fluorobiphenyl (SURRE)

R.T.: 0.000 min
Exp R.T.: 8.341 min
Response: 0
Conc: N.D.




#11 ortho-Terphenyl (SURRE)

R.T.: 11.358 min
Delta R.T.: -0.022 min
Response: 80135
Conc: 0.37 ug/ml



#14 Benzo[a]anthracene (C26.37)


R.T.: 14.619 min
Delta R.T.: 0.052 min
Response: 473847
Conc: 3.24 ug/ml



#15 Chrysene (C27.41)


R.T.: 14.619 min
Delta R.T.: 0.009 min
Response: 473847
Conc: 2.95 ug/ml

Instrument :
FID_D
ClientSampleId :




#17 Bnezo[k]fluoranthene (C30.14)

R.T.: 16.208 min
Delta R.T.: 0.066 min
Response: 44545
Conc: 0.30 ug/ml



#18 Benzo[a]pyrene (C31.34)

R.T.: 16.517 min
Delta R.T.: 0.032 min
Response: 45267
Conc: 0.32 ug/ml



#19 Indeno[1,2,3-cd]pyrene (C35.01)

R.T.: 17.782 min
Delta R.T.: -0.059 min
Response: 37396
Conc: 0.28 ug/ml