

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD101323AR\
 Data File : FD046759.D
 Signal(s) : FID2B.ch
 Acq On : 14 Oct 2023 05:55
 Operator : YP/AJ
 Sample : 04846-01
 Misc :
 ALS Vial : 78 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 WASTE

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 10/16/2023
 Supervised By :Ankita Jodhani 10/17/2023

Integration File: autoint1.e
 Quant Time: Oct 14 07:03:40 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 101023.M
 Quant Title : GC Extractables
 QLast Update : Wed Oct 11 02:49:06 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.490	8854665	47.700 ug/ml
Spiked Amount 50.000		Recovery =	95.40%
6) S 2-Fluorobiphenyl (SURR)	8.344	5586766	46.109 ug/mlm
Spiked Amount 50.000 Range 0 - 131		Recovery =	92.22%
11) S ortho-Terphenyl (SURR)	11.383	10429970	48.208 ug/ml
Spiked Amount 50.000		Recovery =	96.42%

Target Compounds

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD101323AR\
Data File : FD046759.D
Signal(s) : FID2B.ch
Acq On : 14 Oct 2023 05:55
Operator : YP/AJ
Sample : 04846-01
Misc :
ALS Vial : 78 Sample Multiplier: 1


Instrument :
FID_D
ClientSampleId :
WASTE


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 10/16/2023
Supervised By :Ankita Jodhani 10/17/2023

Integration File: autoint1.e
Quant Time: Oct 14 07:03:40 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 101023.M
Quant Title : GC Extractables
QLast Update : Wed Oct 11 02:49:06 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#4 2-Bromonaphthalene (SURR)

R.T.: 7.490 min
Delta R.T.: 0.002 min
Response: 8854665
Conc: 47.70 ug/ml

Instrument :
FID_D
ClientSampleId :
WASTE


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 10/16/2023
Supervised By :Ankita Jodhani 10/17/2023



#6 2-Fluorobiphenyl (SURR)

R.T.: 8.344 min
Delta R.T.: 0.003 min
Response: 5586766
Conc: 46.11 ug/ml m



#11 ortho-Terphenyl (SURR)

R.T.: 11.383 min
Delta R.T.: 0.004 min
Response: 10429970
Conc: 48.21 ug/ml