

rteres

Instrument :

FID_D

ClientSampleId :

MDL-WATER-03-QT4-2022

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 10/19/2022

Supervised By :Ankita Jodhani 10/20/2022

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD10192
Data File : FD044175.D
Signal(s) : FID2B.ch
Acq On : 19 Oct 2022 10:25
Sample : N4955-09
Misc :
ALS Vial : 56 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 101322.M
Title : GC Extractables

Signal : FID2B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.232	4.195	4.292	BB	20964	204660	2.98%	0.930%
2	5.777	5.730	5.887	BB	8233	204951	2.99%	0.932%
3	6.825	6.807	6.930	PB	7206	176870	2.58%	0.804%
4	7.416	7.395	7.602	BB	625149	6567022	95.77%	29.851%
5	8.082	8.050	8.179	BB	16933	278044	4.05%	1.264%
6	8.269	8.202	8.349	BV	354145	4132553	60.27%	18.785%
7	8.369	8.349	8.479	VV	26939	451533	6.59%	2.052%
8	9.164	9.120	9.262	BV	10048	232147	3.39%	1.055%
9	10.557	10.495	10.619	BV	10951	224901	3.28%	1.022%
10	10.639	10.619	10.755	VB	7248	213947	3.12%	0.973%
11	11.302	11.232	11.414	BB	612794	6856857	100.00%	31.169%
12	12.358	12.324	12.492	BB	12828	279758	4.08%	1.272%
13	12.648	12.610	12.687	BV	14553	200440	2.92%	0.911%
14	14.530	14.480	14.545	BV	11088	144647	2.11%	0.658%
15	14.563	14.545	14.694	VB	13436	374716	5.46%	1.703%
16	16.070	16.015	16.087	BV	14791	202977	2.96%	0.923%
17	16.102	16.087	16.222	VB	12311	321895	4.69%	1.463%
18	16.464	16.409	16.489	BV	8057	137036	2.00%	0.623%
19	17.825	17.770	17.844	BV	10636	236350	3.45%	1.074%
20	17.861	17.844	17.995	VB	9609	307818	4.49%	1.399%
21	18.064	18.015	18.174	BB	11991	250187	3.65%	1.137%
Sum of corrected areas:						21999308		

Aromatic EPH 101322.M Wed Oct 19 16:42:19 2022