

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD102324AR\
 Data File : FD048573.D
 Signal(s) : FID2B.ch
 Acq On : 23 Oct 2024 18:14
 Operator : YP/AJ
 Sample : 20 PPM AROMATIC HC STD ICV
 Misc :
 ALS Vial : 66 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :

Integration File: autoint1.e
 Quant Time: Oct 23 18:50:32 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 102324.M
 Quant Title : GC Extractables
 QLast Update : Wed Oct 23 18:14:59 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.372	3035391	19.999 ug/ml
Spiked Amount 50.000		Recovery =	40.00%
6) S 2-Fluorobiphenyl (SURR)	8.222	2009011	20.460 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	40.92%
11) S ortho-Terphenyl (SURR)	11.258	3418196	20.067 ug/ml
Spiked Amount 50.000		Recovery =	40.13%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	4.195	3511974	20.187 ug/ml
2) T Naphthalene (C11.7)	5.713	3621999	20.299 ug/ml
3) T 2-Methylnaphthalene (...)	6.760	3629138	20.290 ug/ml
5) T Acenaphthylene (C15.06)	8.025	3549708	20.216 ug/ml
7) T Acenaphthene (C15.5)	8.319	3566386	20.108 ug/ml
8) T Flouorene (C16.55)	9.098	3449130	20.405 ug/ml
9) T Phenanthrene (C19.36)	10.485	3337748	20.191 ug/ml
10) T Anthracene (C19.43)	10.560	3166872	19.804 ug/ml
12) T Fluoranthene (C21.85)	12.288	3304952	20.082 ug/ml
13) T Pyrene (C20.8)	12.581	3231023	20.059 ug/ml
14) T Benzo[a]anthracene (C...	14.450	2986450	20.425 ug/ml
15) T Chrysene (C27.41)	14.492	3268283	19.869 ug/ml
16) T benzo[b]fluoranthene ...	15.997	3076351	20.235 ug/ml
17) T Bnezo[k]fluoranthene ...	16.029	3007230	20.008 ug/ml
18) T Benzo[a]pyrene (C31.34)	16.372	3055729	20.304 ug/ml
19) T Indeno[1,2,3-cd]pyren...	17.737	2639364	20.228 ug/ml
20) T Dibenz[a,h]anthracene...	17.776	3309486	20.337 ug/ml
21) T Benzo[g,h,i]perylene ...	17.987	3030209	19.793 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD102324AR\
Data File : FD048573.D
Signal(s) : FID2B.ch
Acq On : 23 Oct 2024 18:14
Operator : YP/AJ
Sample : 20 PPM AROMATIC HC STD ICV
Misc :
ALS Vial : 66 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :

Integration File: autoint1.e
Quant Time: Oct 23 18:50:32 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 102324.M
Quant Title : GC Extractables
QLast Update : Wed Oct 23 18:14:59 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#1 1,2,3-Trimethylbenzene (C10.1)


R.T.: 4.195 min
Delta R.T.: -0.002 min
Response: 3511974
Conc: 20.19 ug/ml

Instrument :
FID_D
ClientSampleId :




#2 Naphthalene (C11.7)

R.T.: 5.713 min
Delta R.T.: -0.002 min
Response: 3621999
Conc: 20.30 ug/ml




#3 2-Methylnaphthalene (C12.89)

R.T.: 6.760 min
Delta R.T.: -0.003 min
Response: 3629138
Conc: 20.29 ug/ml



#4 2-Bromonaphthalene (SURR)


R.T.: 7.372 min
Delta R.T.: -0.002 min
Response: 3035391
Conc: 20.00 ug/ml



#5 Acenaphthylene (C15.06)


R.T.: 8.025 min
Delta R.T.: -0.001 min
Response: 3549708
Conc: 20.22 ug/ml

Instrument :
FID_D
ClientSampleId :




#6 2-Fluorobiphenyl (SURR)

R.T.: 8.222 min
Delta R.T.: -0.006 min
Response: 2009011
Conc: 20.46 ug/ml




#7 Acenaphthene (C15.5)

R.T.: 8.319 min
Delta R.T.: 0.000 min
Response: 3566386
Conc: 20.11 ug/ml



#8 Fluorene (C16.55)


R.T.: 9.098 min
Delta R.T.: -0.003 min
Response: 3449130
Conc: 20.40 ug/ml



#9 Phenanthrene (C19.36)


R.T.: 10.485 min
Delta R.T.: -0.003 min
Response: 3337748
Conc: 20.19 ug/ml

Instrument :
FID_D
ClientSampleId :




#10 Anthracene (C19.43)

R.T.: 10.560 min
Delta R.T.: -0.004 min
Response: 3166872
Conc: 19.80 ug/ml




#11 ortho-Terphenyl (SURR)

R.T.: 11.258 min
Delta R.T.: 0.000 min
Response: 3418196
Conc: 20.07 ug/ml



#12 Fluoranthene (C21.85)


R.T.: 12.288 min
Delta R.T.: -0.003 min
Response: 3304952
Conc: 20.08 ug/ml



#13 Pyrene (C20.8)


R.T.: 12.581 min
Delta R.T.: -0.002 min
Response: 3231023
Conc: 20.06 ug/ml

Instrument :
FID_D
ClientSampleId :




#14 Benzo[a]anthracene (C26.37)

R.T.: 14.450 min
Delta R.T.: -0.003 min
Response: 2986450
Conc: 20.42 ug/ml




#15 Chrysene (C27.41)

R.T.: 14.492 min
Delta R.T.: -0.002 min
Response: 3268283
Conc: 19.87 ug/ml



#16 benzo[b]fluoranthene (C30.41)


R.T.: 15.997 min
Delta R.T.: 0.000 min
Response: 3076351
Conc: 20.24 ug/ml



#17 Bnezo[k]fluoranthene (C30.14)


R.T.: 16.029 min
Delta R.T.: 0.000 min
Response: 3007230
Conc: 20.01 ug/ml

Instrument :
FID_D
ClientSampleId :




#18 Benzo[a]pyrene (C31.34)

R.T.: 16.372 min
Delta R.T.: -0.008 min
Response: 3055729
Conc: 20.30 ug/ml




#19 Indeno[1,2,3-cd]pyrene (C35.01)

R.T.: 17.737 min
Delta R.T.: -0.007 min
Response: 2639364
Conc: 20.23 ug/ml



#20 Dibenz[a,h]anthracene (C30.36)

R.T.: 17.776 min
Delta R.T.: -0.011 min
Response: 3309486
Conc: 20.34 ug/ml



#21 Benzo[g,h,i]perylene (C34.01)

R.T.: 17.987 min
Delta R.T.: -0.003 min
Response: 3030209
Conc: 19.79 ug/ml

Instrument :

FID_D

ClientSampleId :