

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD102722AR\
 Data File : FD044280.D
 Signal(s) : FID2B.ch
 Acq On : 27 Oct 2022 11:54
 Operator : YP/AJ
 Sample : PB148561BS
 Misc :
 ALS Vial : 57 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :

Integration File: autoint1.e
 Quant Time: Oct 28 07:14:50 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 101322.M
 Quant Title : GC Extractables
 QLast Update : Fri Oct 14 01:33:37 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.411	5282627	42.548 ug/ml
Spiked Amount 50.000		Recovery =	85.10%
6) S 2-Fluorobiphenyl (SURR)	8.267	3745749	49.745 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	99.49%
11) S ortho-Terphenyl (SURR)	11.296	5860829	34.626 ug/ml
Spiked Amount 50.000		Recovery =	69.25%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	4.222	4218572	29.887 ug/ml
2) T Naphthalene (C11.7)	5.752	4855243	35.415 ug/ml
3) T 2-Methylnaphthalene (...)	6.798	4850950	34.219 ug/ml
5) T Acenaphthylene (C15.06)	8.068	4823490	34.384 ug/ml
7) T Acenaphthene (C15.5)	8.359	5679427	36.523 ug/ml
8) T Flouorene (C16.55)	9.140	5238437	37.236 ug/ml
9) T Phenanthrene (C19.36)	10.532	5477181	40.671 ug/ml
10) T Anthracene (C19.43)	10.608	5560952	41.385 ug/ml
12) T Fluoranthene (C21.85)	12.337	5451079	40.817 ug/ml
13) T Pyrene (C20.8)	12.632	5097416	40.356 ug/ml
14) T Benzo[a]anthracene (C...	14.502	4821667	45.394 ug/ml
15) T Chrysene (C27.41)	14.544	5582706	42.587 ug/ml
16) T benzo[b]fluoranthene ...	16.050	4905462	43.710 ug/ml
17) T Bnezo[k]fluoranthene ...	16.080	5148085	40.463 ug/ml
18) T Benzo[a]pyrene (C31.34)	16.427	4146350	35.683 ug/ml
19) T Indeno[1,2,3-cd]pyren...	17.794	4406005	41.329 ug/ml
20) T Dibenz[a,h]anthracene...	17.826	4820700	38.966 ug/ml
21) T Benzo[g,h,i]perylene ...	18.045	4886077	41.620 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD102722AR\
Data File : FD044280.D
Signal(s) : FID2B.ch
Acq On : 27 Oct 2022 11:54
Operator : YP/AJ
Sample : PB148561BS
Misc :
ALS Vial : 57 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :

Integration File: autoint1.e
Quant Time: Oct 28 07:14:50 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 101322.M
Quant Title : GC Extractables
QLast Update : Fri Oct 14 01:33:37 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#1 1,2,3-Trimethylbenzene (C10.1)


R.T.: 4.222 min
Delta R.T.: -0.009 min
Response: 4218572
Conc: 29.89 ug/ml

Instrument :
FID_D
ClientSampleId :




#2 Naphthalene (C11.7)

R.T.: 5.752 min
Delta R.T.: -0.014 min
Response: 4855243
Conc: 35.42 ug/ml




#3 2-Methylnaphthalene (C12.89)

R.T.: 6.798 min
Delta R.T.: -0.013 min
Response: 4850950
Conc: 34.22 ug/ml



#4 2-Bromonaphthalene (SURR)


R.T.: 7.411 min
Delta R.T.: -0.013 min
Response: 5282627
Conc: 42.55 ug/ml



#5 Acenaphthylene (C15.06)


R.T.: 8.068 min
Delta R.T.: -0.011 min
Response: 4823490
Conc: 34.38 ug/ml

Instrument :
FID_D
ClientSampleId :




#6 2-Fluorobiphenyl (SURR)

R.T.: 8.267 min
Delta R.T.: -0.019 min
Response: 3745749
Conc: 49.75 ug/ml




#7 Acenaphthene (C15.5)

R.T.: 8.359 min
Delta R.T.: -0.009 min
Response: 5679427
Conc: 36.52 ug/ml



#8 Fluorene (C16.55)


R.T.: 9.140 min
Delta R.T.: -0.012 min
Response: 5238437
Conc: 37.24 ug/ml



#9 Phenanthrene (C19.36)


R.T.: 10.532 min
Delta R.T.: -0.013 min
Response: 5477181
Conc: 40.67 ug/ml

Instrument :
FID_D
ClientSampleId :




#10 Anthracene (C19.43)

R.T.: 10.608 min
Delta R.T.: -0.014 min
Response: 5560952
Conc: 41.39 ug/ml




#11 ortho-Terphenyl (SURR)

R.T.: 11.296 min
Delta R.T.: -0.009 min
Response: 5860829
Conc: 34.63 ug/ml



#12 Fluoranthene (C21.85)


R.T.: 12.337 min
Delta R.T.: -0.012 min
Response: 5451079
Conc: 40.82 ug/ml



#13 Pyrene (C20.8)


R.T.: 12.632 min
Delta R.T.: -0.011 min
Response: 5097416
Conc: 40.36 ug/ml

Instrument :
FID_D
ClientSampleId :




#14 Benzo[a]anthracene (C26.37)

R.T.: 14.502 min
Delta R.T.: -0.013 min
Response: 4821667
Conc: 45.39 ug/ml




#15 Chrysene (C27.41)

R.T.: 14.544 min
Delta R.T.: -0.011 min
Response: 5582706
Conc: 42.59 ug/ml



#16 benzo[b]fluoranthene (C30.41)


R.T.: 16.050 min
Delta R.T.: -0.009 min
Response: 4905462
Conc: 43.71 ug/ml



#17 Bnezo[k]fluoranthene (C30.14)


R.T.: 16.080 min
Delta R.T.: -0.009 min
Response: 5148085
Conc: 40.46 ug/ml

Instrument :
FID_D
ClientSampleId :




#18 Benzo[a]pyrene (C31.34)

R.T.: 16.427 min
Delta R.T.: -0.017 min
Response: 4146350
Conc: 35.68 ug/ml




#19 Indeno[1,2,3-cd]pyrene (C35.01)

R.T.: 17.794 min
Delta R.T.: -0.011 min
Response: 4406005
Conc: 41.33 ug/ml



#20 Dibenz[a,h]anthracene (C30.36)

R.T.: 17.826 min
Delta R.T.: -0.015 min
Response: 4820700
Conc: 38.97 ug/ml



#21 Benzo[g,h,i]perylene (C34.01)

R.T.: 18.045 min
Delta R.T.: -0.009 min
Response: 4886077
Conc: 41.62 ug/ml

Instrument :

FID_D

ClientSampleId :