

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD102722AR\
 Data File : FD044286.D
 Signal(s) : FID2B.ch
 Acq On : 27 Oct 2022 18:33
 Operator : YP/AJ
 Sample : N5250-02
 Misc :
 ALS Vial : 57 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 T-2

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 10/28/2022
 Supervised By :Ankita Jodhani 10/28/2022

Integration File: autoint1.e
 Quant Time: Oct 28 07:15:41 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 101322.M
 Quant Title : GC Extractables
 QLast Update : Fri Oct 14 01:33:37 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.409	5578657	44.932 ug/mlm
Spiked Amount 50.000		Recovery =	89.86%
6) S 2-Fluorobiphenyl (SURR)	8.264	3539438	47.005 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	94.01%
11) S ortho-Terphenyl (SURR)	11.293	5565021	32.879 ug/ml
Spiked Amount 50.000		Recovery =	65.76%

Target Compounds

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD102722AR\
Data File : FD044286.D
Signal(s) : FID2B.ch
Acq On : 27 Oct 2022 18:33
Operator : YP/AJ
Sample : N5250-02
Misc :
ALS Vial : 57 Sample Multiplier: 1


Instrument :
FID_D
ClientSampleId :
T-2


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 10/28/2022
Supervised By :Ankita Jodhani 10/28/2022

Integration File: autoint1.e
Quant Time: Oct 28 07:15:41 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 101322.M
Quant Title : GC Extractables
QLast Update : Fri Oct 14 01:33:37 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#4 2-Bromonaphthalene (SURR)

R.T.: 7.409 min
Delta R.T.: -0.015 min
Response: 5578657
Conc: 44.93 ug/ml

Instrument :
FID_D
ClientSampleId :
T-2


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 10/28/2022
Supervised By :Ankita Jodhani 10/28/2022



#6 2-Fluorobiphenyl (SURR)

R.T.: 8.264 min
Delta R.T.: -0.021 min
Response: 3539438
Conc: 47.01 ug/ml



#11 ortho-Terphenyl (SURR)

R.T.: 11.293 min
Delta R.T.: -0.012 min
Response: 5565021
Conc: 32.88 ug/ml