

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD102824AR\
 Data File : FD048610.D
 Signal(s) : FID2B.ch
 Acq On : 28 Oct 2024 18:16
 Operator : YP/AJ
 Sample : P4518-02DL 2X
 Misc :
 ALS Vial : 73 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 EX-5-TPH-2DL

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 10/30/2024
 Supervised By :Ankita Jodhani 10/30/2024

Integration File: autoint1.e
 Quant Time: Oct 30 02:38:21 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 102324.M
 Quant Title : GC Extractables
 QLast Update : Wed Oct 23 18:14:59 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.370	4628962	30.498 ug/mlm
Spiked Amount 50.000		Recovery =	61.00%
6) S 2-Fluorobiphenyl (SURR)	8.222	2858937	29.116 ug/mlm
Spiked Amount 50.000 Range 0 - 131		Recovery =	58.23%
11) S ortho-Terphenyl (SURR)	11.258	1925911	11.306 ug/mlm
Spiked Amount 50.000		Recovery =	22.61%

Target Compounds

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD102824AR\
Data File : FD048610.D
Signal(s) : FID2B.ch
Acq On : 28 Oct 2024 18:16
Operator : YP/AJ
Sample : P4518-02DL 2X
Misc :
ALS Vial : 73 Sample Multiplier: 1


Instrument :
FID_D
ClientSampleId :
EX-5-TPH-2DL


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 10/30/2024
Supervised By :Ankita Jodhani 10/30/2024

Integration File: autoint1.e
Quant Time: Oct 30 02:38:21 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 102324.M
Quant Title : GC Extractables
QLast Update : Wed Oct 23 18:14:59 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#4 2-Bromonaphthalene (SURR)

R.T.: 7.370 min
Delta R.T.: -0.004 min
Response: 4628962
Conc: 30.50 ug/ml

Instrument :
FID_D
ClientSampleId :
EX-5-TPH-2DL


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 10/30/2024
Supervised By :Ankita Jodhani 10/30/2024



#6 2-Fluorobiphenyl (SURR)

R.T.: 8.222 min
Delta R.T.: -0.006 min
Response: 2858937
Conc: 29.12 ug/ml



#11 ortho-Terphenyl (SURR)

R.T.: 11.258 min
Delta R.T.: 0.000 min
Response: 1925911
Conc: 11.31 ug/ml