

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD102824AR\
 Data File : FD048617.D
 Signal(s) : FID2B.ch
 Acq On : 29 Oct 2024 10:46
 Operator : YP/AJ
 Sample : P4518-05DL 5X
 Misc :
 ALS Vial : 78 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 EX-5-TPH-5DL

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 10/30/2024
 Supervised By :Ankita Jodhani 10/30/2024

Integration File: autoint1.e
 Quant Time: Oct 30 02:39:50 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 102324.M
 Quant Title : GC Extractables
 QLast Update : Wed Oct 23 18:14:59 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.370	1460481	9.622 ug/mlm
Spiked Amount 50.000		Recovery =	19.24%
6) S 2-Fluorobiphenyl (SURR)	8.221	826716	8.419 ug/mlm
Spiked Amount 50.000 Range 0 - 131		Recovery =	16.84%
11) S ortho-Terphenyl (SURR)	11.254	956273	5.614 ug/mlm
Spiked Amount 50.000		Recovery =	11.23%

Target Compounds

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD102824AR\
Data File : FD048617.D
Signal(s) : FID2B.ch
Acq On : 29 Oct 2024 10:46
Operator : YP/AJ
Sample : P4518-05DL 5X
Misc :
ALS Vial : 78 Sample Multiplier: 1


Instrument :
FID_D
ClientSampleId :
EX-5-TPH-5DL


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 10/30/2024
Supervised By :Ankita Jodhani 10/30/2024

Integration File: autoint1.e
Quant Time: Oct 30 02:39:50 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 102324.M
Quant Title : GC Extractables
QLast Update : Wed Oct 23 18:14:59 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#4 2-Bromonaphthalene (SURR)

R.T.: 7.370 min
Delta R.T.: -0.004 min
Response: 1460481
Conc: 9.62 ug/ml

Instrument :
FID_D
ClientSampleId :
EX-5-TPH-5DL


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 10/30/2024
Supervised By :Ankita Jodhani 10/30/2024



#6 2-Fluorobiphenyl (SURR)

R.T.: 8.221 min
Delta R.T.: -0.007 min
Response: 826716
Conc: 8.42 ug/ml



#11 ortho-Terphenyl (SURR)

R.T.: 11.254 min
Delta R.T.: -0.003 min
Response: 956273
Conc: 5.61 ug/ml