

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD102920AR\
 Data File : FD035214.D
 Signal(s) : FID2B.CH
 Acq On : 29 Oct 2020 21:46
 Operator : DD\AJ
 Sample : L4551-05
 Misc :
 ALS Vial : 60 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 B1-A

Manual Integrations
 APPROVED

Ankita
 10/30/2020 3:56:03 PM

Integration File: autoint1.e
 Quant Time: Oct 30 03:23:50 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 102220.M
 Quant Title : GC Extractables
 QLast Update : Fri Oct 23 08:22:01 2020
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.645	5791862	50.247 ug/ml
Spiked Amount 50.000		Recovery =	100.49%
6) S 2-Fluorobiphenyl (SURR)	8.510	3926608	49.393 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	98.79%
11) S ortho-Terphenyl (SURR)	11.552	4258742	32.308 ug/mlm
Spiked Amount 50.000		Recovery =	64.62%

Target Compounds

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD102920AR\
Data File : FD035214.D
Signal(s) : FID2B.CH
Acq On : 29 Oct 2020 21:46
Operator : DD\AJ
Sample : L4551-05
Misc :
ALS Vial : 60 Sample Multiplier: 1


Instrument :
FID_D
ClientSampleId :
B1-A


Manual Integrations
APPROVED

Ankita
10/30/2020 3:56:03 PM

Integration File: autoint1.e
Quant Time: Oct 30 03:23:50 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 102220.M
Quant Title : GC Extractables
QLast Update : Fri Oct 23 08:22:01 2020
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#4 2-Bromonaphthalene (SURR)

R.T.: 7.645 min
Delta R.T.: -0.005 min
Response: 5791862
Conc: 50.25 ug/ml

Instrument :
FID_D
ClientSampleId :
B1-A


Manual Integrations
APPROVED

Ankita
10/30/2020 3:56:03 PM



#6 2-Fluorobiphenyl (SURR)

R.T.: 8.510 min
Delta R.T.: -0.006 min
Response: 3926608
Conc: 49.39 ug/ml



#11 ortho-Terphenyl (SURR)

R.T.: 11.552 min
Delta R.T.: 0.001 min
Response: 4258742
Conc: 32.31 ug/ml m