

rters

Instrument :
FID_D
LabSampleId :
20 PPM AROMATIC HC STD
Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 10/31/2022
Supervised By :Ankita Jodhani 10/31/2022

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD10292
Data File : FD044331.D
Signal(s) : FID2B.ch
Acq On : 29 Oct 2022 13:28
Sample : 20 PPM AROMATIC HC STD
Misc :
ALS Vial : 52 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 101322.M
Title : GC Extractables

Signal : FID2B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.224	4.195	4.390	BB	282661	3100397	83.75%	5.611%
2	5.758	5.730	6.034	BB	183824	3003754	81.14%	5.437%
3	6.803	6.724	7.054	BB	177547	3004781	81.16%	5.438%
4	7.415	7.395	7.649	BB	168612	2686799	72.57%	4.863%
5	8.070	8.050	8.257	BV	196888	2958116	79.90%	5.354%
6	8.278	8.257	8.337	PV	76635	1385214	37.42%	2.507%
7	8.359	8.337	8.555	VB	267155	3483542	94.10%	6.305%
8	9.144	9.120	9.399	BB	171285	2960640	79.97%	5.358%
9	10.535	10.480	10.599	BV	177466	2750790	74.30%	4.979%
10	10.617	10.599	10.884	VB	94912	2230946	60.26%	4.038%
11	11.291	11.237	11.434	BB	327978	3702104	100.00%	6.700%
12	12.339	12.317	12.559	VV	158254	2821105	76.20%	5.106%
13	12.632	12.610	12.699	BBA	155989	2301765	62.17%	4.166%
14	14.504	14.480	14.528	BV	167680	2153469	58.17%	3.898%
15	14.546	14.528	14.814	VB	114842	3051586	82.43%	5.523%
16	16.047	16.015	16.066	BV	186913	2351224	63.51%	4.256%
17	16.080	16.066	16.352	VV	117879	2874975	77.66%	5.203%
18	16.436	16.352	16.475	PV	90592	1671000	45.14%	3.024%
19	17.797	17.770	17.819	BV	131112	2026348	54.74%	3.668%
20	17.833	17.819	18.015	VBA	91819	2415245	65.24%	4.371%
21	18.044	18.017	18.164	BV	109686	2317580	62.60%	4.195%
Sum of corrected areas:						55251379		

Aromatic EPH 101322.M Sun Oct 30 01:47:28 2022