

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD110620AR\
 Data File : FD035402.D
 Signal(s) : FID2B.CH
 Acq On : 07 Nov 2020 1:20
 Operator : DD\AJ
 Sample : 20 PPM AROMATIC HC STD
 Misc :
 ALS Vial : 52 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Nov 07 02:06:08 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 110220.M
 Quant Title : GC Extractables
 QLast Update : Tue Nov 03 10:20:32 2020
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.635	2328254	20.074 ug/ml
Spiked Amount 50.000		Recovery =	40.15%
6) S 2-Fluorobiphenyl (SURR)	8.500	1577024	19.598 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	39.20%
11) S ortho-Terphenyl (SURR)	11.536	2646903	19.046 ug/ml
Spiked Amount 50.000		Recovery =	38.09%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	4.434	2661379	20.633 ug/ml
2) T Naphthalene (C11.7)	5.974	2742339	20.253 ug/ml
3) T 2-Methylnaphthalene (...)	7.026	2741316	20.111 ug/ml
5) T Acenaphthylene (C15.06)	8.301	2603801	19.314 ug/ml
7) T Acenaphthene (C15.5)	8.597	2712830	19.542 ug/ml
8) T Fluorene (C16.55)	9.378	2590078	19.533 ug/ml
9) T Phenanthrene (C19.36)	10.774	2515329	19.028 ug/ml
10) T Anthracene (C19.43)	10.849	2460006	18.195 ug/ml
12) T Fluoranthene (C21.85)	12.586	2433154	18.112 ug/ml
13) T Pyrene (C20.8)	12.882	2313374	17.395 ug/ml
14) T Benzo[a]anthracene (C...	14.754	2135488	17.945 ug/ml
15) T Chrysene (C27.41)	14.795	2316889	17.493 ug/ml
16) T benzo[b]fluoranthene ...	16.304	2178782	18.437 ug/ml
17) T Bnezo[k]fluoranthene ...	16.335	2175938	17.879 ug/ml
18) T Benzo[a]pyrene (C31.34)	16.683	1998434	18.272 ug/ml
19) T Indeno[1,2,3-cd]pyren...	18.050	2106349	20.610 ug/ml
20) T Dibenz[a,h]anthracene...	18.087	2241676	19.599 ug/ml
21) T Benzo[g,h,i]perylene ...	18.303	2192356	20.477 ug/ml


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD110620AR\
Data File : FD035402.D
Signal(s) : FID2B.CH
Acq On : 07 Nov 2020 1:20
Operator : DD\AJ
Sample : 20 PPM AROMATIC HC STD
Misc :
ALS Vial : 52 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Nov 07 02:06:08 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 110220.M
Quant Title : GC Extractables
QLast Update : Tue Nov 03 10:20:32 2020
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped


Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#1 1,2,3-Trimethylbenzene (C10.1)

R.T.: 4.434 min
Delta R.T.: -0.007 min
Response: 2661379
Conc: 20.63 ug/ml




#2 Naphthalene (C11.7)

R.T.: 5.974 min
Delta R.T.: -0.008 min
Response: 2742339
Conc: 20.25 ug/ml




#3 2-Methylnaphthalene (C12.89)

R.T.: 7.026 min
Delta R.T.: -0.007 min
Response: 2741316
Conc: 20.11 ug/ml




#4 2-Bromonaphthalene (SURR)

R.T.: 7.635 min
Delta R.T.: -0.008 min
Response: 2328254
Conc: 20.07 ug/ml




#5 Acenaphthylene (C15.06)

R.T.: 8.301 min
Delta R.T.: -0.006 min
Response: 2603801
Conc: 19.31 ug/ml




#6 2-Fluorobiphenyl (SURR)

R.T.: 8.500 min
Delta R.T.: -0.009 min
Response: 1577024
Conc: 19.60 ug/ml




#7 Acenaphthene (C15.5)

R.T.: 8.597 min
Delta R.T.: -0.004 min
Response: 2712830
Conc: 19.54 ug/ml




#8 Fluorene (C16.55)

R.T.: 9.378 min
Delta R.T.: -0.008 min
Response: 2590078
Conc: 19.53 ug/ml




#9 Phenanthrene (C19.36)

R.T.: 10.774 min
Delta R.T.: -0.007 min
Response: 2515329
Conc: 19.03 ug/ml




#10 Anthracene (C19.43)

R.T.: 10.849 min
Delta R.T.: -0.010 min
Response: 2460006
Conc: 18.20 ug/ml




#11 ortho-Terphenyl (SURR)

R.T.: 11.536 min
Delta R.T.: -0.006 min
Response: 2646903
Conc: 19.05 ug/ml




#12 Fluoranthene (C21.85)

R.T.: 12.586 min
Delta R.T.: -0.007 min
Response: 2433154
Conc: 18.11 ug/ml




#13 Pyrene (C20.8)

R.T.: 12.882 min
Delta R.T.: -0.007 min
Response: 2313374
Conc: 17.40 ug/ml




#14 Benzo[a]anthracene (C26.37)

R.T.: 14.754 min
Delta R.T.: -0.008 min
Response: 2135488
Conc: 17.95 ug/ml




#15 Chrysene (C27.41)

R.T.: 14.795 min
Delta R.T.: -0.008 min
Response: 2316889
Conc: 17.49 ug/ml




#16 benzo[b]fluoranthene (C30.41)

R.T.: 16.304 min
Delta R.T.: -0.007 min
Response: 2178782
Conc: 18.44 ug/ml




#17 Bnezo[k]fluoranthene (C30.14)

R.T.: 16.335 min
Delta R.T.: -0.006 min
Response: 2175938
Conc: 17.88 ug/ml




#18 Benzo[a]pyrene (C31.34)

R.T.: 16.683 min
Delta R.T.: -0.012 min
Response: 1998434
Conc: 18.27 ug/ml




#19 Indeno[1,2,3-cd]pyrene (C35.01)

R.T.: 18.050 min
Delta R.T.: -0.008 min
Response: 2106349
Conc: 20.61 ug/ml



#20 Dibenz[a,h]anthracene (C30.36)

R.T.: 18.087 min
Delta R.T.: -0.010 min
Response: 2241676
Conc: 19.60 ug/ml



#21 Benzo[g,h,i]perylene (C34.01)

R.T.: 18.303 min
Delta R.T.: -0.004 min
Response: 2192356
Conc: 20.48 ug/ml