

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD110923AR\
 Data File : FD046886.D
 Signal(s) : FID2B.ch
 Acq On : 10 Nov 2023 02:19
 Operator : YP/AJ
 Sample : 05394-02
 Misc :
 ALS Vial : 73 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :

Integration File: autoint1.e
 Quant Time: Nov 10 04:29:47 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 102723.M
 Quant Title : GC Extractables
 QLast Update : Sat Oct 28 02:49:53 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.484	9756552	53.497 ug/ml
Spiked Amount 50.000		Recovery =	106.99%
6) S 2-Fluorobiphenyl (SURR)	8.336	5306884	45.095 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	90.19%
11) S ortho-Terphenyl (SURR)	11.376	10735205	50.696 ug/ml
Spiked Amount 50.000		Recovery =	101.39%
Target Compounds			
3) T 2-Methylnaphthalene (...)	6.880	83611	0.416 ug/ml
7) T Acenaphthene (C15.5)	8.394	75051	0.383 ug/ml
14) T Benzo[a]anthracene (C...	14.615	53849	0.383 ug/ml
15) T Chrysene (C27.41)	14.615	53849	0.345 ug/ml
19) T Indeno[1,2,3-cd]pyren...	17.835	337510	2.672 ug/ml
20) T Dibenz[a,h]anthracene...	17.905	90268	0.646 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD110923AR\
Data File : FD046886.D
Signal(s) : FID2B.ch
Acq On : 10 Nov 2023 02:19
Operator : YP/AJ
Sample : 05394-02
Misc :
ALS Vial : 73 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :

Integration File: autoint1.e
Quant Time: Nov 10 04:29:47 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 102723.M
Quant Title : GC Extractables
QLast Update : Sat Oct 28 02:49:53 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#3 2-Methylnaphthalene (C12.89)


R.T.: 6.880 min
Delta R.T.: 0.007 min
Response: 83611
Conc: 0.42 ug/ml

Instrument :
FID_D
ClientSampleId :




#4 2-Bromonaphthalene (SURR)

R.T.: 7.484 min
Delta R.T.: 0.000 min
Response: 9756552
Conc: 53.50 ug/ml




#6 2-Fluorobiphenyl (SURR)

R.T.: 8.336 min
Delta R.T.: -0.002 min
Response: 5306884
Conc: 45.09 ug/ml



#7 Acenaphthene (C15.5)


R.T.: 8.394 min
Delta R.T.: -0.043 min
Response: 75051
Conc: 0.38 ug/ml



#11 ortho-Terphenyl (SURR)


R.T.: 11.376 min
Delta R.T.: 0.000 min
Response: 10735205
Conc: 50.70 ug/ml

Instrument :
FID_D
ClientSampleId :




#14 Benzo[a]anthracene (C26.37)

R.T.: 14.615 min
Delta R.T.: 0.052 min
Response: 53849
Conc: 0.38 ug/ml




#15 Chrysene (C27.41)

R.T.: 14.615 min
Delta R.T.: 0.010 min
Response: 53849
Conc: 0.35 ug/ml



#19 Indeno[1,2,3-cd]pyrene (C35.01)

R.T.: 17.835 min
Delta R.T.: 0.000 min
Response: 337510
Conc: 2.67 ug/ml



#20 Dibenz[a,h]anthracene (C30.36)

R.T.: 17.905 min
Delta R.T.: 0.028 min
Response: 90268
Conc: 0.65 ug/ml

Instrument :
FID_D
ClientSampleId :