

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD111022AR\
 Data File : FD044411.D
 Signal(s) : FID2B.ch
 Acq On : 10 Nov 2022 14:09
 Operator : YP/AJ
 Sample : 20 PPM AROMATIC HC STD
 Misc :
 ALS Vial : 52 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :

Integration File: autoint1.e
 Quant Time: Nov 11 03:02:07 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 110322.M
 Quant Title : GC Extractables
 QLast Update : Fri Nov 04 06:01:26 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.698	2737145	20.228 ug/ml
Spiked Amount 50.000		Recovery =	40.46%
6) S 2-Fluorobiphenyl (SURR)	8.559	1960699	20.907 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	41.81%
11) S ortho-Terphenyl (SURR)	11.593	3605085	21.012 ug/ml
Spiked Amount 50.000		Recovery =	42.02%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	4.508	3083174	21.152 ug/ml
2) T Naphthalene (C11.7)	6.042	3282643	21.083 ug/ml
3) T 2-Methylnaphthalene (...)	7.090	3323910	21.039 ug/ml
5) T Acenaphthylene (C15.06)	8.363	3053227	20.247 ug/ml
7) T Acenaphthene (C15.5)	8.658	3252482	21.019 ug/ml
8) T Fluorene (C16.55)	9.436	3219278	20.933 ug/ml
12) T Fluoranthene (C21.85)	12.634	3191377	21.000 ug/ml
13) T Pyrene (C20.8)	12.984	54572	0.367 ug/ml
14) T Benzo[a]anthracene (C...	14.837	2739475	19.572 ug/ml
15) T Chrysene (C27.41)	14.837	2739475	18.705 ug/ml
16) T benzo[b]fluoranthene ...	16.371	2979637	20.718 ug/ml
17) T Bnezo[k]fluoranthene ...	16.371	2979637	20.957 ug/ml
18) T Benzo[a]pyrene (C31.34)	16.714	2881029	20.593 ug/ml
19) T Indeno[1,2,3-cd]pyren...	18.113	2977045	21.834 ug/ml
20) T Dibenz[a,h]anthracene...	18.113	2977045	22.101 ug/ml
21) T Benzo[g,h,i]perylene ...	18.326	2871507	21.035 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD111022AR\
Data File : FD044411.D
Signal(s) : FID2B.ch
Acq On : 10 Nov 2022 14:09
Operator : YP/AJ
Sample : 20 PPM AROMATIC HC STD
Misc :
ALS Vial : 52 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :

Integration File: autoint1.e
Quant Time: Nov 11 03:02:07 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 110322.M
Quant Title : GC Extractables
QLast Update : Fri Nov 04 06:01:26 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#1 1,2,3-Trimethylbenzene (C10.1)


R.T.: 4.508 min
Delta R.T.: -0.002 min
Response: 3083174
Conc: 21.15 ug/ml

Instrument :
FID_D
ClientSampleId :




#2 Naphthalene (C11.7)

R.T.: 6.042 min
Delta R.T.: -0.010 min
Response: 3282643
Conc: 21.08 ug/ml




#3 2-Methylnaphthalene (C12.89)

R.T.: 7.090 min
Delta R.T.: -0.014 min
Response: 3323910
Conc: 21.04 ug/ml



#4 2-Bromonaphthalene (SURR)


R.T.: 7.698 min
Delta R.T.: -0.015 min
Response: 2737145
Conc: 20.23 ug/ml



#5 Acenaphthylene (C15.06)


R.T.: 8.363 min
Delta R.T.: -0.018 min
Response: 3053227
Conc: 20.25 ug/ml

Instrument :
FID_D
ClientSampleId :




#6 2-Fluorobiphenyl (SURR)

R.T.: 8.559 min
Delta R.T.: -0.018 min
Response: 1960699
Conc: 20.91 ug/ml




#7 Acenaphthene (C15.5)

R.T.: 8.658 min
Delta R.T.: -0.019 min
Response: 3252482
Conc: 21.02 ug/ml



#8 Flouorene (C16.55)


R.T.: 9.436 min
Delta R.T.: -0.021 min
Response: 3219278
Conc: 20.93 ug/ml



#11 ortho-Terphenyl (SURR)


R.T.: 11.593 min
Delta R.T.: -0.025 min
Response: 3605085
Conc: 21.01 ug/ml

Instrument :
FID_D
ClientSampleId :




#12 Fluoranthene (C21.85)

R.T.: 12.634 min
Delta R.T.: -0.030 min
Response: 3191377
Conc: 21.00 ug/ml




#13 Pyrene (C20.8)

R.T.: 12.984 min
Delta R.T.: 0.022 min
Response: 54572
Conc: 0.37 ug/ml



#14 Benzo[a]anthracene (C26.37)


R.T.: 14.837 min
Delta R.T.: 0.008 min
Response: 2739475
Conc: 19.57 ug/ml



#15 Chrysene (C27.41)


R.T.: 14.837 min
Delta R.T.: -0.036 min
Response: 2739475
Conc: 18.71 ug/ml

Instrument :
FID_D
ClientSampleId :




#16 benzo[b]fluoranthene (C30.41)

R.T.: 16.371 min
Delta R.T.: -0.005 min
Response: 2979637
Conc: 20.72 ug/ml




#17 Bnezo[k]fluoranthene (C30.14)

R.T.: 16.371 min
Delta R.T.: -0.041 min
Response: 2979637
Conc: 20.96 ug/ml



#18 Benzo[a]pyrene (C31.34)


R.T.: 16.714 min
Delta R.T.: -0.041 min
Response: 2881029
Conc: 20.59 ug/ml



#19 Indeno[1,2,3-cd]pyrene (C35.01)


R.T.: 18.113 min
Delta R.T.: -0.002 min
Response: 2977045
Conc: 21.83 ug/ml

Instrument :
FID_D
ClientSampleId :



#20 Dibenz[a,h]anthracene (C30.36)

R.T.: 18.113 min
Delta R.T.: -0.042 min
Response: 2977045
Conc: 22.10 ug/ml



#21 Benzo[g,h,i]perylene (C34.01)

R.T.: 18.326 min
Delta R.T.: -0.047 min
Response: 2871507
Conc: 21.04 ug/ml