

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD111022AR\
 Data File : FD044425.D
 Signal(s) : FID2B.ch
 Acq On : 11 Nov 2022 00:59
 Operator : YP/AJ
 Sample : N5360-22MS
 Misc :
 ALS Vial : 69 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :

Integration File: autoint1.e
 Quant Time: Nov 11 03:03:59 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 110322.M
 Quant Title : GC Extractables
 QLast Update : Fri Nov 04 06:01:26 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.698	4713267	34.831 ug/ml
Spiked Amount 50.000		Recovery =	69.66%
6) S 2-Fluorobiphenyl (SURR)	8.559	3439918	36.681 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	73.36%
11) S ortho-Terphenyl (SURR)	11.594	3477350	20.268 ug/ml
Spiked Amount 50.000		Recovery =	40.54%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	4.506	4385883	30.090 ug/ml
2) T Naphthalene (C11.7)	6.041	5093550	32.714 ug/ml
3) T 2-Methylnaphthalene (...)	7.090	5182411	32.803 ug/ml
5) T Acenaphthylene (C15.06)	8.364	5169257	34.280 ug/ml
7) T Acenaphthene (C15.5)	8.659	5546049	35.842 ug/ml
8) T Fluorene (C16.55)	9.437	5591884	36.360 ug/ml
12) T Fluoranthene (C21.85)	12.637	5565151	36.620 ug/ml
13) T Pyrene (C20.8)	12.933	5559770	37.401 ug/ml
14) T Benzo[a]anthracene (C...	14.840	5209480	37.218 ug/ml
15) T Chrysene (C27.41)	14.840	5209480	35.571 ug/ml
16) T benzo[b]fluoranthene ...	16.375	4964974	34.523 ug/ml
17) T Bnezo[k]fluoranthene ...	16.375	4964974	34.920 ug/ml
18) T Benzo[a]pyrene (C31.34)	16.717	4728394	33.797 ug/ml
19) T Indeno[1,2,3-cd]pyren...	18.115	4827750	35.407 ug/ml
20) T Dibenz[a,h]anthracene...	18.115	4827750	35.841 ug/ml
21) T Benzo[g,h,i]perylene ...	18.330	4959167	36.328 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD111022AR\
Data File : FD044425.D
Signal(s) : FID2B.ch
Acq On : 11 Nov 2022 00:59
Operator : YP/AJ
Sample : N5360-22MS
Misc :
ALS Vial : 69 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :

Integration File: autoint1.e
Quant Time: Nov 11 03:03:59 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 110322.M
Quant Title : GC Extractables
QLast Update : Fri Nov 04 06:01:26 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#1 1,2,3-Trimethylbenzene (C10.1)


R.T.: 4.506 min
Delta R.T.: -0.004 min
Response: 4385883
Conc: 30.09 ug/ml

Instrument :
FID_D
ClientSampleId :




#2 Naphthalene (C11.7)

R.T.: 6.041 min
Delta R.T.: -0.011 min
Response: 5093550
Conc: 32.71 ug/ml




#3 2-Methylnaphthalene (C12.89)

R.T.: 7.090 min
Delta R.T.: -0.014 min
Response: 5182411
Conc: 32.80 ug/ml



#4 2-Bromonaphthalene (SURR)


R.T.: 7.698 min
Delta R.T.: -0.014 min
Response: 4713267
Conc: 34.83 ug/ml



#5 Acenaphthylene (C15.06)


R.T.: 8.364 min
Delta R.T.: -0.017 min
Response: 5169257
Conc: 34.28 ug/ml

Instrument :
FID_D
ClientSampleId :




#6 2-Fluorobiphenyl (SURR)

R.T.: 8.559 min
Delta R.T.: -0.017 min
Response: 3439918
Conc: 36.68 ug/ml




#7 Acenaphthene (C15.5)

R.T.: 8.659 min
Delta R.T.: -0.018 min
Response: 5546049
Conc: 35.84 ug/ml



#8 Fluorene (C16.55)


R.T.: 9.437 min
Delta R.T.: -0.020 min
Response: 5591884
Conc: 36.36 ug/ml



#11 ortho-Terphenyl (SURR)


R.T.: 11.594 min
Delta R.T.: -0.025 min
Response: 3477350
Conc: 20.27 ug/ml

Instrument :
FID_D
ClientSampleId :




#12 Fluoranthene (C21.85)

R.T.: 12.637 min
Delta R.T.: -0.027 min
Response: 5565151
Conc: 36.62 ug/ml




#13 Pyrene (C20.8)

R.T.: 12.933 min
Delta R.T.: -0.029 min
Response: 5559770
Conc: 37.40 ug/ml



#14 Benzo[a]anthracene (C26.37)


R.T.: 14.840 min
Delta R.T.: 0.011 min
Response: 5209480
Conc: 37.22 ug/ml



#15 Chrysene (C27.41)


R.T.: 14.840 min
Delta R.T.: -0.033 min
Response: 5209480
Conc: 35.57 ug/ml

Instrument :
FID_D
ClientSampleId :




#16 benzo[b]fluoranthene (C30.41)

R.T.: 16.375 min
Delta R.T.: 0.000 min
Response: 4964974
Conc: 34.52 ug/ml




#17 Bnezo[k]fluoranthene (C30.14)

R.T.: 16.375 min
Delta R.T.: -0.037 min
Response: 4964974
Conc: 34.92 ug/ml



#18 Benzo[a]pyrene (C31.34)


R.T.: 16.717 min
Delta R.T.: -0.039 min
Response: 4728394
Conc: 33.80 ug/ml



#19 Indeno[1,2,3-cd]pyrene (C35.01)


R.T.: 18.115 min
Delta R.T.: 0.000 min
Response: 4827750
Conc: 35.41 ug/ml

Instrument :
FID_D
ClientSampleId :



#20 Dibenz[a,h]anthracene (C30.36)

R.T.: 18.115 min
Delta R.T.: -0.040 min
Response: 4827750
Conc: 35.84 ug/ml



#21 Benzo[g,h,i]perylene (C34.01)

R.T.: 18.330 min
Delta R.T.: -0.042 min
Response: 4959167
Conc: 36.33 ug/ml