

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD111022AR\
 Data File : FD044426.D
 Signal(s) : FID2B.ch
 Acq On : 11 Nov 2022 01:42
 Operator : YP/AJ
 Sample : N5360-22MSD
 Misc :
 ALS Vial : 70 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :

Integration File: autoint1.e
 Quant Time: Nov 11 03:04:07 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 110322.M
 Quant Title : GC Extractables
 QLast Update : Fri Nov 04 06:01:26 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.699	4685090	34.623 ug/ml
Spiked Amount 50.000		Recovery =	69.25%
6) S 2-Fluorobiphenyl (SURR)	8.560	3393031	36.181 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	72.36%
11) S ortho-Terphenyl (SURR)	11.594	3429492	19.989 ug/ml
Spiked Amount 50.000		Recovery =	39.98%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	4.506	4336757	29.753 ug/ml
2) T Naphthalene (C11.7)	6.042	5000360	32.116 ug/ml
3) T 2-Methylnaphthalene (...)	7.090	5126055	32.446 ug/ml
5) T Acenaphthylene (C15.06)	8.364	5102094	33.834 ug/ml
7) T Acenaphthene (C15.5)	8.659	5473251	35.371 ug/ml
8) T Fluorene (C16.55)	9.438	5533118	35.978 ug/ml
12) T Fluoranthene (C21.85)	12.637	5494552	36.155 ug/ml
13) T Pyrene (C20.8)	12.983	55564	0.374 ug/ml
14) T Benzo[a]anthracene (C...	14.840	5078257	36.281 ug/ml
15) T Chrysene (C27.41)	14.840	5078257	34.675 ug/ml
16) T benzo[b]fluoranthene ...	16.374	4904269	34.100 ug/ml
17) T Bnezo[k]fluoranthene ...	16.374	4904269	34.493 ug/ml
18) T Benzo[a]pyrene (C31.34)	16.717	4674457	33.412 ug/ml
19) T Indeno[1,2,3-cd]pyren...	18.116	4798497	35.192 ug/ml
20) T Dibenz[a,h]anthracene...	18.116	4798497	35.624 ug/ml
21) T Benzo[g,h,i]perylene ...	18.331	4913527	35.994 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD111022AR\
Data File : FD044426.D
Signal(s) : FID2B.ch
Acq On : 11 Nov 2022 01:42
Operator : YP/AJ
Sample : N5360-22MSD
Misc :
ALS Vial : 70 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :

Integration File: autoint1.e
Quant Time: Nov 11 03:04:07 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 110322.M
Quant Title : GC Extractables
QLast Update : Fri Nov 04 06:01:26 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#1 1,2,3-Trimethylbenzene (C10.1)


R.T.: 4.506 min
Delta R.T.: -0.004 min
Response: 4336757
Conc: 29.75 ug/ml

Instrument :
FID_D
ClientSampleId :




#2 Naphthalene (C11.7)

R.T.: 6.042 min
Delta R.T.: -0.010 min
Response: 5000360
Conc: 32.12 ug/ml




#3 2-Methylnaphthalene (C12.89)

R.T.: 7.090 min
Delta R.T.: -0.013 min
Response: 5126055
Conc: 32.45 ug/ml



#4 2-Bromonaphthalene (SURR)


R.T.: 7.699 min
Delta R.T.: -0.014 min
Response: 4685090
Conc: 34.62 ug/ml



#5 Acenaphthylene (C15.06)


R.T.: 8.364 min
Delta R.T.: -0.017 min
Response: 5102094
Conc: 33.83 ug/ml

Instrument :
FID_D
ClientSampleId :




#6 2-Fluorobiphenyl (SURR)

R.T.: 8.560 min
Delta R.T.: -0.016 min
Response: 3393031
Conc: 36.18 ug/ml




#7 Acenaphthene (C15.5)

R.T.: 8.659 min
Delta R.T.: -0.018 min
Response: 5473251
Conc: 35.37 ug/ml



#8 Flouorene (C16.55)


R.T.: 9.438 min
Delta R.T.: -0.019 min
Response: 5533118
Conc: 35.98 ug/ml



#11 ortho-Terphenyl (SURR)


R.T.: 11.594 min
Delta R.T.: -0.025 min
Response: 3429492
Conc: 19.99 ug/ml

Instrument :
FID_D
ClientSampleId :




#12 Fluoranthene (C21.85)

R.T.: 12.637 min
Delta R.T.: -0.028 min
Response: 5494552
Conc: 36.16 ug/ml




#13 Pyrene (C20.8)

R.T.: 12.983 min
Delta R.T.: 0.022 min
Response: 55564
Conc: 0.37 ug/ml



#14 Benzo[a]anthracene (C26.37)

R.T.: 14.840 min
Delta R.T.: 0.011 min
Response: 5078257
Conc: 36.28 ug/ml




#15 Chrysene (C27.41)

R.T.: 14.840 min
Delta R.T.: -0.033 min
Response: 5078257
Conc: 34.68 ug/ml

Instrument :


FID_D

ClientSampleId :




#16 benzo[b]fluoranthene (C30.41)

R.T.: 16.374 min
Delta R.T.: -0.001 min
Response: 4904269
Conc: 34.10 ug/ml




#17 Bnezo[k]fluoranthene (C30.14)

R.T.: 16.374 min
Delta R.T.: -0.037 min
Response: 4904269
Conc: 34.49 ug/ml



#18 Benzo[a]pyrene (C31.34)


R.T.: 16.717 min
Delta R.T.: -0.039 min
Response: 4674457
Conc: 33.41 ug/ml



#19 Indeno[1,2,3-cd]pyrene (C35.01)


R.T.: 18.116 min
Delta R.T.: 0.000 min
Response: 4798497
Conc: 35.19 ug/ml

Instrument :
FID_D
ClientSampleId :



#20 Dibenz[a,h]anthracene (C30.36)

R.T.: 18.116 min
Delta R.T.: -0.039 min
Response: 4798497
Conc: 35.62 ug/ml



#21 Benzo[g,h,i]perylene (C34.01)

R.T.: 18.331 min
Delta R.T.: -0.042 min
Response: 4913527
Conc: 35.99 ug/ml