

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD111022AR\
 Data File : FD044428.D
 Signal(s) : FID2B.ch
 Acq On : 11 Nov 2022 03:07
 Operator : YP/AJ
 Sample : 20 PPM AROMATIC HC STD
 Misc :
 ALS Vial : 52 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :

Integration File: autoint1.e
 Quant Time: Nov 11 03:39:11 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 110322.M
 Quant Title : GC Extractables
 QLast Update : Fri Nov 04 06:01:26 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.698	2739014	20.241 ug/ml
Spiked Amount 50.000		Recovery =	40.48%
6) S 2-Fluorobiphenyl (SURR)	8.558	2005307	21.383 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	42.77%
11) S ortho-Terphenyl (SURR)	11.593	3677952	21.437 ug/ml
Spiked Amount 50.000		Recovery =	42.87%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	4.506	3161282	21.688 ug/ml
2) T Naphthalene (C11.7)	6.041	3372899	21.663 ug/ml
3) T 2-Methylnaphthalene (...)	7.089	3423815	21.671 ug/ml
5) T Acenaphthylene (C15.06)	8.362	3135887	20.796 ug/ml
7) T Acenaphthene (C15.5)	8.657	3326051	21.495 ug/ml
8) T Fluorene (C16.55)	9.435	3296907	21.437 ug/ml
12) T Fluoranthene (C21.85)	12.634	3258330	21.440 ug/ml
13) T Pyrene (C20.8)	12.984	52287	0.352 ug/ml
14) T Benzo[a]anthracene (C...	14.835	299200	2.138 ug/ml
15) T Chrysene (C27.41)	14.835	299200	2.043 ug/ml
16) T benzo[b]fluoranthene ...	16.368	3027984	21.054 ug/ml
17) T Bnezo[k]fluoranthene ...	16.368	3027984	21.297 ug/ml
18) T Benzo[a]pyrene (C31.34)	16.713	2925298	20.909 ug/ml
19) T Indeno[1,2,3-cd]pyren...	18.110	3059722	22.440 ug/ml
20) T Dibenz[a,h]anthracene...	18.110	3059722	22.715 ug/ml
21) T Benzo[g,h,i]perylene ...	18.323	2888473	21.159 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD111022AR\
Data File : FD044428.D
Signal(s) : FID2B.ch
Acq On : 11 Nov 2022 03:07
Operator : YP/AJ
Sample : 20 PPM AROMATIC HC STD
Misc :
ALS Vial : 52 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :

Integration File: autoint1.e
Quant Time: Nov 11 03:39:11 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 110322.M
Quant Title : GC Extractables
QLast Update : Fri Nov 04 06:01:26 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#1 1,2,3-Trimethylbenzene (C10.1)


R.T.: 4.506 min
Delta R.T.: -0.004 min
Response: 3161282
Conc: 21.69 ug/ml

Instrument :
FID_D
ClientSampleId :




#2 Naphthalene (C11.7)

R.T.: 6.041 min
Delta R.T.: -0.011 min
Response: 3372899
Conc: 21.66 ug/ml




#3 2-Methylnaphthalene (C12.89)

R.T.: 7.089 min
Delta R.T.: -0.015 min
Response: 3423815
Conc: 21.67 ug/ml



#4 2-Bromonaphthalene (SURR)


R.T.: 7.698 min
Delta R.T.: -0.015 min
Response: 2739014
Conc: 20.24 ug/ml



#5 Acenaphthylene (C15.06)


R.T.: 8.362 min
Delta R.T.: -0.019 min
Response: 3135887
Conc: 20.80 ug/ml

Instrument :
FID_D
ClientSampleId :




#6 2-Fluorobiphenyl (SURR)

R.T.: 8.558 min
Delta R.T.: -0.018 min
Response: 2005307
Conc: 21.38 ug/ml




#7 Acenaphthene (C15.5)

R.T.: 8.657 min
Delta R.T.: -0.020 min
Response: 3326051
Conc: 21.49 ug/ml



#8 Flouorene (C16.55)


R.T.: 9.435 min
Delta R.T.: -0.022 min
Response: 3296907
Conc: 21.44 ug/ml



#11 ortho-Terphenyl (SURR)


R.T.: 11.593 min
Delta R.T.: -0.025 min
Response: 3677952
Conc: 21.44 ug/ml

Instrument :
FID_D
ClientSampleId :




#12 Fluoranthene (C21.85)

R.T.: 12.634 min
Delta R.T.: -0.031 min
Response: 3258330
Conc: 21.44 ug/ml




#13 Pyrene (C20.8)

R.T.: 12.984 min
Delta R.T.: 0.022 min
Response: 52287
Conc: 0.35 ug/ml



#14 Benzo[a]anthracene (C26.37)


R.T.: 14.835 min
Delta R.T.: 0.006 min
Response: 299200
Conc: 2.14 ug/ml



#15 Chrysene (C27.41)


R.T.: 14.835 min
Delta R.T.: -0.038 min
Response: 299200
Conc: 2.04 ug/ml

Instrument :
FID_D
ClientSampleId :




#16 benzo[b]fluoranthene (C30.41)

R.T.: 16.368 min
Delta R.T.: -0.007 min
Response: 3027984
Conc: 21.05 ug/ml




#17 Bnezo[k]fluoranthene (C30.14)

R.T.: 16.368 min
Delta R.T.: -0.043 min
Response: 3027984
Conc: 21.30 ug/ml



#18 Benzo[a]pyrene (C31.34)


R.T.: 16.713 min
Delta R.T.: -0.043 min
Response: 2925298
Conc: 20.91 ug/ml



#19 Indeno[1,2,3-cd]pyrene (C35.01)


R.T.: 18.110 min
Delta R.T.: -0.006 min
Response: 3059722
Conc: 22.44 ug/ml

Instrument :
FID_D
ClientSampleId :



#20 Dibenz[a,h]anthracene (C30.36)

R.T.: 18.110 min
Delta R.T.: -0.046 min
Response: 3059722
Conc: 22.72 ug/ml



#21 Benzo[g,h,i]perylene (C34.01)

R.T.: 18.323 min
Delta R.T.: -0.050 min
Response: 2888473
Conc: 21.16 ug/ml