

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD111022AR\
 Data File : FD044424.D
 Signal(s) : FID2B.ch
 Acq On : 11 Nov 2022 00:16
 Operator : YP/AJ
 Sample : N5360-22D
 Misc :
 ALS Vial : 68 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 20221114-COMP-13

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 11/11/2022
 Supervised By :Ankita Jodhani 11/11/2022

Integration File: autoint1.e
 Quant Time: Nov 11 03:03:52 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 110322.M
 Quant Title : GC Extractables
 QLast Update : Fri Nov 04 06:01:26 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.698	4859439	35.911 ug/mlm
Spiked Amount 50.000		Recovery =	71.82%
6) S 2-Fluorobiphenyl (SURR)	8.559	3350075	35.723 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	71.45%
11) S ortho-Terphenyl (SURR)	11.594	3881859	22.625 ug/ml
Spiked Amount 50.000		Recovery =	45.25%

Target Compounds

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD111022AR\
Data File : FD044424.D
Signal(s) : FID2B.ch
Acq On : 11 Nov 2022 00:16
Operator : YP/AJ
Sample : N5360-22D
Misc :
ALS Vial : 68 Sample Multiplier: 1


Instrument :
FID_D
ClientSampleId :
20221114-COMP-13


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 11/11/2022
Supervised By :Ankita Jodhani 11/11/2022

Integration File: autoint1.e
Quant Time: Nov 11 03:03:52 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 110322.M
Quant Title : GC Extractables
QLast Update : Fri Nov 04 06:01:26 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#4 2-Bromonaphthalene (SURRE)

R.T.: 7.698 min
Delta R.T.: -0.014 min
Response: 4859439
Conc: 35.91 ug/ml

Instrument :
FID_D
ClientSampleId :
20221114-COMP-13


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 11/11/2022
Supervised By :Ankita Jodhani 11/11/2022



#6 2-Fluorobiphenyl (SURRE)

R.T.: 8.559 min
Delta R.T.: -0.017 min
Response: 3350075
Conc: 35.72 ug/ml



#11 ortho-Terphenyl (SURRE)

R.T.: 11.594 min
Delta R.T.: -0.025 min
Response: 3881859
Conc: 22.63 ug/ml