

rters

Instrument :

FID_D

LabSampleId :

20 PPM AROMATIC HC STD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 11/18/2022

Supervised By :Ankita Jodhani 11/18/2022

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD11172
Data File : FD044447.D
Signal(s) : FID2B.ch
Acq On : 17 Nov 2022 07:30
Sample : 20 PPM AROMATIC HC STD
Misc :
ALS Vial : 52 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 110322.M
Title : GC Extractables

Signal : FID2B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.501	4.442	4.529	BV	358372	3120158	84.99%	4.845%
2	6.035	5.969	6.069	BV	364387	3337240	90.90%	5.182%
3	7.084	7.015	7.147	BB	365418	3390112	92.34%	5.264%
4	7.691	7.660	7.725	BB	304216	2909214	79.24%	4.518%
5	8.356	8.300	8.410	BB	321503	3064971	83.49%	4.759%
6	8.552	8.485	8.604	BB	201975	1992517	54.27%	3.094%
7	8.651	8.605	8.700	BB	345776	3300164	89.89%	5.125%
8	9.429	9.359	9.460	BB	324165	3273171	89.16%	5.083%
9	10.820	10.795	10.849	M	312182	3237288	88.18%	5.027%
10	10.894	10.860	10.939	PB	258796	2645417	72.06%	4.108%
11	11.586	11.517	11.615	BB	352910	3671284	100.00%	5.701%
12	12.626	12.597	12.660	VB	293204	3242895	88.33%	5.036%
13	12.922	12.852	12.954	BV	285128	3176240	86.52%	4.932%
14	14.785	14.750	14.805	BV	246253	2923274	79.63%	4.539%
15	14.828	14.805	14.885	VB	273464	3153927	85.91%	4.898%
16	16.326	16.250	16.342	BV	236562	3078020	83.84%	4.780%
17	16.360	16.342	16.399	VB	258062	3046631	82.99%	4.731%
18	16.704	16.620	16.747	BB	231212	2835097	77.22%	4.402%
19	18.060	18.015	18.078	BV	223455	2846317	77.53%	4.420%
20	18.101	18.078	18.145	VB	250082	3249691	88.52%	5.046%
21	18.314	18.159	18.342	BV	231991	2904761	79.12%	4.511%
Sum of corrected areas:						64398388		

Aromatic EPH 110322.M Fri Nov 18 03:17:53 2022