

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD112023AR\
 Data File : FD046901.D
 Signal(s) : FID2B.ch
 Acq On : 20 Nov 2023 14:09
 Operator : YP/AJ
 Sample : 20 PPM AROMATIC HC STD
 Misc :
 ALS Vial : 56 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 20 PPM AROMATIC HC STD

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 11/21/2023
 Supervised By :Ankita Jodhani 11/21/2023

Integration File: autoint1.e
 Quant Time: Nov 21 00:13:16 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 102723.M
 Quant Title : GC Extractables
 QLast Update : Sat Oct 28 02:49:53 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.477	3841807	21.065 ug/ml
Spiked Amount 50.000		Recovery =	42.13%
6) S 2-Fluorobiphenyl (SURR)	8.330	2452501	20.840 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	41.68%
11) S ortho-Terphenyl (SURR)	11.367	4485561	21.183 ug/ml
Spiked Amount 50.000		Recovery =	42.37%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	4.292	4066338	21.056 ug/ml
2) T Naphthalene (C11.7)	5.817	4278307	21.365 ug/ml
3) T 2-Methylnaphthalene (...)	6.865	4229784	21.045 ug/ml
5) T Acenaphthylene (C15.06)	8.134	3850489	20.935 ug/ml
7) T Acenaphthene (C15.5)	8.429	4110159	20.982 ug/ml
8) T Flouorene (C16.55)	9.207	3914892	21.165 ug/ml
9) T Phenanthrene (C19.36)	10.595	3677893	20.673 ug/ml
10) T Anthracene (C19.43)	10.669	2762310	16.209 ug/ml
12) T Fluoranthene (C21.85)	12.397	3662685	21.207 ug/ml
13) T Pyrene (C20.8)	12.691	3459507	20.806 ug/ml
14) T Benzo[a]anthracene (C...	14.554	2804747	19.935 ug/ml
15) T Chrysene (C27.41)	14.596	3138522	20.124 ug/ml
16) T benzo[b]fluoranthene ...	16.096	2944154	20.570 ug/ml
17) T Bnezo[k]fluoranthene ...	16.127	3079438	21.034 ug/ml
18) T Benzo[a]pyrene (C31.34)	16.470	2702406	19.280 ug/ml
19) T Indeno[1,2,3-cd]pyren...	17.827	2506481	19.841 ug/mlm
20) T Dibenz[a,h]anthracene...	17.867	2683155	19.206 ug/mlm
21) T Benzo[g,h,i]perylene ...	18.078	2727865	19.537 ug/ml

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD112023AR\
Data File : FD046901.D
Signal(s) : FID2B.ch
Acq On : 20 Nov 2023 14:09
Operator : YP/AJ
Sample : 20 PPM AROMATIC HC STD
Misc :
ALS Vial : 56 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :
20 PPM AROMATIC HC STD

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 11/21/2023
Supervised By :Ankita Jodhani 11/21/2023

Integration File: autoint1.e
Quant Time: Nov 21 00:13:16 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 102723.M
Quant Title : GC Extractables
QLast Update : Sat Oct 28 02:49:53 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm

