

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD112923AR\
 Data File : FD046975.D
 Signal(s) : FID2B.ch
 Acq On : 29 Nov 2023 13:27
 Operator : YP/AJ
 Sample : 20 PPM AROMATIC HC STD
 Misc :
 ALS Vial : 52 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :

Integration File: autoint1.e
 Quant Time: Nov 29 23:48:02 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 112423.M
 Quant Title : GC Extractables
 QLast Update : Fri Nov 24 13:30:33 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.475	3369751	19.478 ug/ml
Spiked Amount 50.000		Recovery =	38.96%
6) S 2-Fluorobiphenyl (SURR)	8.328	2185951	20.102 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	40.20%
11) S ortho-Terphenyl (SURR)	11.366	4028792	20.246 ug/ml
Spiked Amount 50.000		Recovery =	40.49%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	4.288	3467442	18.636 ug/ml
2) T Naphthalene (C11.7)	5.815	3657231	19.205 ug/ml
3) T 2-Methylnaphthalene (...)	6.863	3690013	19.162 ug/ml
5) T Acenaphthylene (C15.06)	8.132	3421684	19.656 ug/ml
7) T Acenaphthene (C15.5)	8.426	3649385	19.678 ug/ml
8) T Fluorene (C16.55)	9.205	3486598	20.199 ug/ml
9) T Phenanthrene (C19.36)	10.594	3361517	20.474 ug/ml
10) T Anthracene (C19.43)	10.668	3120634	20.180 ug/ml
12) T Fluoranthene (C21.85)	12.396	3315129	20.916 ug/ml
13) T Pyrene (C20.8)	12.691	3220273	21.047 ug/ml
14) T Benzo[a]anthracene (C...	14.555	2651752	20.451 ug/ml
15) T Chrysene (C27.41)	14.595	2817256	19.655 ug/ml
16) T benzo[b]fluoranthene ...	16.096	2780321	20.816 ug/ml
17) T Bnezo[k]fluoranthene ...	16.127	2886029	21.124 ug/ml
18) T Benzo[a]pyrene (C31.34)	16.471	2698602	20.598 ug/ml
19) T Indeno[1,2,3-cd]pyren...	17.827	2354923	19.736 ug/ml
20) T Dibenz[a,h]anthracene...	17.868	2655713	20.438 ug/ml
21) T Benzo[g,h,i]perylene ...	18.078	2675794	20.451 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD112923AR\
Data File : FD046975.D
Signal(s) : FID2B.ch
Acq On : 29 Nov 2023 13:27
Operator : YP/AJ
Sample : 20 PPM AROMATIC HC STD
Misc :
ALS Vial : 52 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :

Integration File: autoint1.e
Quant Time: Nov 29 23:48:02 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 112423.M
Quant Title : GC Extractables
QLast Update : Fri Nov 24 13:30:33 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#1 1,2,3-Trimethylbenzene (C10.1)


R.T.: 4.288 min
Delta R.T.: -0.003 min
Response: 3467442
Conc: 18.64 ug/ml

Instrument :
FID_D
ClientSampleId :




#2 Naphthalene (C11.7)

R.T.: 5.815 min
Delta R.T.: -0.002 min
Response: 3657231
Conc: 19.21 ug/ml




#3 2-Methylnaphthalene (C12.89)

R.T.: 6.863 min
Delta R.T.: -0.001 min
Response: 3690013
Conc: 19.16 ug/ml



#4 2-Bromonaphthalene (SURR)


R.T.: 7.475 min
Delta R.T.: -0.002 min
Response: 3369751
Conc: 19.48 ug/ml



#5 Acenaphthylene (C15.06)


R.T.: 8.132 min
Delta R.T.: 0.000 min
Response: 3421684
Conc: 19.66 ug/ml

Instrument :
FID_D
ClientSampleId :




#6 2-Fluorobiphenyl (SURR)

R.T.: 8.328 min
Delta R.T.: -0.002 min
Response: 2185951
Conc: 20.10 ug/ml




#7 Acenaphthene (C15.5)

R.T.: 8.426 min
Delta R.T.: 0.000 min
Response: 3649385
Conc: 19.68 ug/ml



#8 Flouorene (C16.55)


R.T.: 9.205 min
Delta R.T.: 0.000 min
Response: 3486598
Conc: 20.20 ug/ml



#9 Phenanthrene (C19.36)


R.T.: 10.594 min
Delta R.T.: 0.000 min
Response: 3361517
Conc: 20.47 ug/ml

Instrument :
FID_D
ClientSampleId :




#10 Anthracene (C19.43)

R.T.: 10.668 min
Delta R.T.: 0.000 min
Response: 3120634
Conc: 20.18 ug/ml




#11 ortho-Terphenyl (SURR)

R.T.: 11.366 min
Delta R.T.: 0.002 min
Response: 4028792
Conc: 20.25 ug/ml



#12 Fluoranthene (C21.85)


R.T.: 12.396 min
Delta R.T.: 0.001 min
Response: 3315129
Conc: 20.92 ug/ml



#13 Pyrene (C20.8)


R.T.: 12.691 min
Delta R.T.: 0.001 min
Response: 3220273
Conc: 21.05 ug/ml

Instrument :
FID_D
ClientSampleId :




#14 Benzo[a]anthracene (C26.37)

R.T.: 14.555 min
Delta R.T.: 0.002 min
Response: 2651752
Conc: 20.45 ug/ml




#15 Chrysene (C27.41)

R.T.: 14.595 min
Delta R.T.: 0.003 min
Response: 2817256
Conc: 19.66 ug/ml



#16 benzo[b]fluoranthene (C30.41)


R.T.: 16.096 min
Delta R.T.: 0.004 min
Response: 2780321
Conc: 20.82 ug/ml



#17 Bnezo[k]fluoranthene (C30.14)


R.T.: 16.127 min
Delta R.T.: 0.004 min
Response: 2886029
Conc: 21.12 ug/ml

Instrument :
FID_D
ClientSampleId :




#18 Benzo[a]pyrene (C31.34)

R.T.: 16.471 min
Delta R.T.: 0.002 min
Response: 2698602
Conc: 20.60 ug/ml




#19 Indeno[1,2,3-cd]pyrene (C35.01)

R.T.: 17.827 min
Delta R.T.: 0.000 min
Response: 2354923
Conc: 19.74 ug/ml



#20 Dibenz[a,h]anthracene (C30.36)

R.T.: 17.868 min
Delta R.T.: -0.003 min
Response: 2655713
Conc: 20.44 ug/ml



#21 Benzo[g,h,i]perylene (C34.01)

R.T.: 18.078 min

Delta R.T.: 0.004 min

Response: 2675794

Conc: 20.45 ug/ml

Instrument :

FID_D

ClientSampleId :