

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD120519AR\
 Data File : FD031779.D
 Signal(s) : FID2B.CH
 Acq On : 05 Dec 2019 18:31
 Operator : DD\AJ
 Sample : 20 PPM AROMATIC HC STD3
 Misc :
 ALS Vial : 54 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 20 PPM AROMATIC HC STD3

Integration File: autoint1.e
 Quant Time: Dec 06 02:49:14 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 120519.M
 Quant Title : GC Extractables
 QLast Update : Fri Dec 06 02:46:49 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.646	2412680	20.000 ug/ml
Spiked Amount 50.000		Recovery =	40.00%
6) S 2-Fluorobiphenyl (SURR)	8.507	1674281	20.000 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	40.00%
11) S ortho-Terphenyl (SURR)	11.544	2595281	20.000 ug/ml
Spiked Amount 50.000		Recovery =	40.00%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	4.449	2471218	20.000 ug/ml
2) T Naphthalene (C11.7)	5.987	2624878	20.000 ug/ml
3) T 2-Methylnaphthalene (...)	7.037	2629727	20.000 ug/ml
5) T Acenaphthylene (C15.06)	8.312	2550921	20.000 ug/ml
7) T Acenaphthene (C15.5)	8.607	2644268	20.000 ug/ml
8) T Flouorene (C16.55)	9.386	2637427	20.000 ug/ml
9) T Phenanthrene (C19.36)	10.781	2645548	20.000 ug/ml
10) T Anthracene (C19.43)	10.855	2621034	20.000 ug/ml
12) T Fluoranthene (C21.85)	12.590	2662682	20.000 ug/ml
13) T Pyrene (C20.8)	12.887	2646671	20.000 ug/ml
14) T Benzo[a]anthracene (C...	14.755	2508168	20.000 ug/ml
15) T Chrysene (C27.41)	14.798	2507591	20.000 ug/ml
16) T benzo[b]fluoranthene ...	16.304	2416026	20.000 ug/ml
17) T Bnezo[k]fluoranthene ...	16.335	2386034	20.000 ug/ml
18) T Benzo[a]pyrene (C31.34)	16.680	2352770	20.000 ug/ml
19) T Indeno[1,2,3-cd]pyren...	18.043	2232373	20.000 ug/ml
20) T Dibenz[a,h]anthracene...	18.082	2216045	20.000 ug/ml
21) T Benzo[g,h,i]perylene ...	18.297	2212426	20.000 ug/ml

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD120519AR\
Data File : FD031779.D
Signal(s) : FID2B.CH
Acq On : 05 Dec 2019 18:31
Operator : DD\AJ
Sample : 20 PPM AROMATIC HC STD3
Misc :
ALS Vial : 54 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :
20 PPM AROMATIC HC STD3

Integration File: autoint1.e
Quant Time: Dec 06 02:49:14 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 120519.M
Quant Title : GC Extractables
QLast Update : Fri Dec 06 02:46:49 2019
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm

