

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD120522AR\
 Data File : FD044593.D
 Signal(s) : FID2B.ch
 Acq On : 05 Dec 2022 10:40
 Operator : YP/AJ
 Sample : 20 PPM AROMATIC HC STD
 Misc :
 ALS Vial : 52 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 20 PPM AROMATIC HC STD

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 12/06/2022
 Supervised By :Ankita Jodhani 12/06/2022

Integration File: autoint1.e
 Quant Time: Dec 06 03:20:44 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 112922.M
 Quant Title : GC Extractables
 QLast Update : Tue Nov 29 00:29:41 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.680	2776336	21.393 ug/ml
Spiked Amount 50.000		Recovery =	42.79%
6) S 2-Fluorobiphenyl (SURR)	8.537	1882171	21.312 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	42.62%
11) S ortho-Terphenyl (SURR)	11.568	3486327	21.422 ug/ml
Spiked Amount 50.000		Recovery =	42.84%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	4.497	3080134	21.584 ug/ml
2) T Naphthalene (C11.7)	6.027	3230714	21.487 ug/ml
3) T 2-Methylnaphthalene (...)	7.073	3233812	21.403 ug/ml
5) T Acenaphthylene (C15.06)	8.342	2935438	21.116 ug/ml
7) T Acenaphthene (C15.5)	8.636	3135274	21.364 ug/ml
8) T Flouorene (C16.55)	9.413	3081577	21.372 ug/ml
9) T Phenanthrene (C19.36)	10.803	3027497	21.230 ug/ml
10) T Anthracene (C19.43)	10.876	2771906	19.951 ug/ml
12) T Fluoranthene (C21.85)	12.604	3047259	21.376 ug/ml
13) T Pyrene (C20.8)	12.900	2966244	21.314 ug/ml
14) T Benzo[a]anthracene (C...	14.759	2720803	21.028 ug/ml
15) T Chrysene (C27.41)	14.801	2974167	22.061 ug/ml
16) T benzo[b]fluoranthene ...	16.299	2834220	21.533 ug/ml
17) T Bnezo[k]fluoranthene ...	16.331	2872890	22.062 ug/ml
18) T Benzo[a]pyrene (C31.34)	16.675	2721394	21.057 ug/mlm
19) T Indeno[1,2,3-cd]pyren...	18.029	2600075	20.401 ug/mlm
20) T Dibenz[a,h]anthracene...	18.070	2740263	21.779 ug/ml
21) T Benzo[g,h,i]perylene ...	18.283	2700012	20.992 ug/ml

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD120522AR\
Data File : FD044593.D
Signal(s) : FID2B.ch
Acq On : 05 Dec 2022 10:40
Operator : YP/AJ
Sample : 20 PPM AROMATIC HC STD
Misc :
ALS Vial : 52 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :
20 PPM AROMATIC HC STD

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 12/06/2022
Supervised By :Ankita Jodhani 12/06/2022

Integration File: autoint1.e
Quant Time: Dec 06 03:20:44 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 112922.M
Quant Title : GC Extractables
QLast Update : Tue Nov 29 00:29:41 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm

