

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD121421AR\
 Data File : FD039914.D
 Signal(s) : FID2B.CH
 Acq On : 15 Dec 2021 12:16
 Operator : AJ\MA
 Sample : 20 PPM AROMATIC HC STD
 Misc :
 ALS Vial : 54 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 20 PPM AROMATIC HC STD

Integration File: autoint1.e
 Quant Time: Dec 15 13:06:19 2021
 Quant Title :
 QLast Update : Wed Dec 15 10:24:29 2021
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	6.911	2876670	20.233 ug/ml
Spiked Amount 50.000		Recovery =	40.47%
6) S 2-Fluorobiphenyl (SURR)	7.766	1953363	19.883 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	39.77%
11) S ortho-Terphenyl (SURR)	10.809	2980139	19.576 ug/ml
Spiked Amount 50.000		Recovery =	39.15%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	3.747	3107844	20.522 ug/ml
2) T Naphthalene (C11.7)	5.256	3260030	20.285 ug/ml
3) T 2-Methylnaphthalene (...)	6.301	3275320	20.158 ug/ml
5) T Acenaphthylene (C15.06)	7.571	2986632	19.965 ug/ml
7) T Acenaphthene (C15.5)	7.866	3158261	19.878 ug/ml
8) T Fluorene (C16.55)	8.645	3112240	19.780 ug/ml
9) T Phenanthrene (C19.36)	10.036	3035269	19.562 ug/mlm
10) T Anthracene (C19.43)	10.111	2920672	19.568 ug/ml
12) T Fluoranthene (C21.85)	11.845	2966715	19.396 ug/ml
13) T Pyrene (C20.8)	12.139	2885188	19.356 ug/mlm
14) T Benzo[a]anthracene (C...	14.010	2638948	19.558 ug/mlm
15) T Chrysene (C27.41)	14.052	2745286	19.523 ug/ml
16) T benzo[b]fluoranthene ...	15.557	2653621	19.780 ug/mlm
17) T Bnezo[k]fluoranthene ...	15.589	2644554	19.545 ug/ml
18) T Benzo[a]pyrene (C31.34)	15.933	2586242	19.947 ug/ml
19) T Indeno[1,2,3-cd]pyren...	17.295	2526298	20.627 ug/mlm
20) T Dibenzo[a,h]anthracene...	17.337	2563143	20.904 ug/ml
21) T Benzo[g,h,i]perylene ...	17.549	2552728	20.434 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD121421AR\
Data File : FD039914.D
Signal(s) : FID2B.CH
Acq On : 15 Dec 2021 12:16
Operator : AJ\MA
Sample : 20 PPM AROMATIC HC STD
Misc :
ALS Vial : 54 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :
20 PPM AROMATIC HC STD

Integration File: autoint1.e
Quant Time: Dec 15 13:06:19 2021
Quant Title :
QLast Update : Wed Dec 15 10:24:29 2021
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#1 1,2,3-Trimethylbenzene (C10.1)


R.T.: 3.747 min
Delta R.T.: -0.034 min
Response: 3107844
Conc: 20.52 ug/ml

Instrument :
FID_D
ClientSampleId :
20 PPM AROMATIC HC STD




#2 Naphthalene (C11.7)

R.T.: 5.256 min
Delta R.T.: -0.038 min
Response: 3260030
Conc: 20.28 ug/ml




#3 2-Methylnaphthalene (C12.89)

R.T.: 6.301 min
Delta R.T.: -0.039 min
Response: 3275320
Conc: 20.16 ug/ml



#4 2-Bromonaphthalene (SURR)


R.T.: 6.911 min
Delta R.T.: -0.039 min
Response: 2876670
Conc: 20.23 ug/ml



#5 Acenaphthylene (C15.06)


R.T.: 7.571 min
Delta R.T.: -0.041 min
Response: 2986632
Conc: 19.96 ug/ml

Instrument :
FID_D
ClientSampleId :
20 PPM AROMATIC HC STD




#6 2-Fluorobiphenyl (SURR)

R.T.: 7.766 min
Delta R.T.: -0.041 min
Response: 1953363
Conc: 19.88 ug/ml




#7 Acenaphthene (C15.5)

R.T.: 7.866 min
Delta R.T.: -0.040 min
Response: 3158261
Conc: 19.88 ug/ml



#8 Fluorene (C16.55)


R.T.: 8.645 min
Delta R.T.: -0.041 min
Response: 3112240
Conc: 19.78 ug/ml



#9 Phenanthrene (C19.36)


R.T.: 10.036 min
Delta R.T.: -0.042 min
Response: 3035269
Conc: 19.56 ug/ml

Instrument :
FID_D
ClientSampleId :
20 PPM AROMATIC HC STD




#10 Anthracene (C19.43)

R.T.: 10.111 min
Delta R.T.: -0.041 min
Response: 2920672
Conc: 19.57 ug/ml




#11 ortho-Terphenyl (SURR)

R.T.: 10.809 min
Delta R.T.: -0.041 min
Response: 2980139
Conc: 19.58 ug/ml



#12 Fluoranthene (C21.85)


R.T.: 11.845 min
Delta R.T.: -0.042 min
Response: 2966715
Conc: 19.40 ug/ml



#13 Pyrene (C20.8)


R.T.: 12.139 min
Delta R.T.: -0.044 min
Response: 2885188
Conc: 19.36 ug/ml

Instrument :
FID_D
ClientSampleId :
20 PPM AROMATIC HC STD




#14 Benzo[a]anthracene (C26.37)

R.T.: 14.010 min
Delta R.T.: -0.042 min
Response: 2638948
Conc: 19.56 ug/ml m




#15 Chrysene (C27.41)

R.T.: 14.052 min
Delta R.T.: -0.042 min
Response: 2745286
Conc: 19.52 ug/ml



#16 benzo[b]fluoranthene (C30.41)


R.T.: 15.557 min
Delta R.T.: -0.042 min
Response: 2653621
Conc: 19.78 ug/ml m



#17 Bnezo[k]fluoranthene (C30.14)


R.T.: 15.589 min
Delta R.T.: -0.041 min
Response: 2644554
Conc: 19.55 ug/ml

Instrument :
FID_D
ClientSampleId :
20 PPM AROMATIC HC STD




#18 Benzo[a]pyrene (C31.34)

R.T.: 15.933 min
Delta R.T.: -0.042 min
Response: 2586242
Conc: 19.95 ug/ml




#19 Indeno[1,2,3-cd]pyrene (C35.01)

R.T.: 17.295 min
Delta R.T.: -0.042 min
Response: 2526298
Conc: 20.63 ug/ml m



#20 Dibenz[a,h]anthracene (C30.36)

R.T.: 17.337 min
Delta R.T.: -0.042 min
Response: 2563143
Conc: 20.90 ug/ml



#21 Benzo[g,h,i]perylene (C34.01)

R.T.: 17.549 min
Delta R.T.: -0.041 min
Response: 2552728
Conc: 20.43 ug/ml

Instrument :

FID_D

ClientSampleId :

20 PPM AROMATIC HC STD