

rteres

Instrument :

FID_D

ClientSampleId :

PB141507BS

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 12/20/2021
 Supervised By :Ankita Jodhani 12/23/2021

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD12172
 Data File : FD040021.D
 Signal(s) : FID2B.CH
 Acq On : 18 Dec 2021 3:57
 Sample : PB141507BS
 Misc :
 ALS Vial : 80 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aliphatic EPH 121521.M
 Title : GC Extractables

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	2.671	2.640	2.718	BB	690538	5311584	71.16%	2.137%
2	3.666	3.624	3.688	BV	657855	5595617	74.97%	2.251%
3	3.711	3.688	3.740	VV	696812	6006041	80.47%	2.416%
4	5.210	5.168	5.239	BV	733426	6603841	88.48%	2.656%
5	5.641	5.599	5.684	BB	588940	5851883	78.40%	2.354%
6	6.253	6.204	6.302	BB	682978	6615512	88.63%	2.661%
7	6.863	6.754	6.905	BB	706336	6815187	91.31%	2.741%
8	7.425	7.375	7.464	BB	604670	6303564	84.45%	2.536%
9	7.523	7.477	7.577	BB	663750	6647455	89.06%	2.674%
10	7.719	7.671	7.774	BB	465462	4712431	63.14%	1.896%
11	7.819	7.774	7.865	BB	684512	7105946	95.20%	2.858%
12	8.596	8.549	8.633	BB	716931	7285012	97.60%	2.930%
13	9.016	8.965	9.069	BB	638243	6982774	93.55%	2.809%
14	9.989	9.920	10.024	BV	669621	7463920	100.00%	3.002%
15	10.063	10.024	10.104	VV	684776	7322443	98.10%	2.945%
16	10.451	10.414	10.512	PB	600674	7143555	95.71%	2.874%
17	10.760	10.709	10.815	BB	651926	7196925	96.42%	2.895%
18	11.755	11.655	11.772	BV	568012	6986942	93.61%	2.811%
19	11.796	11.772	11.835	VB	608435	7096054	95.07%	2.854%
20	12.091	12.040	12.121	BV	611769	6971499	93.40%	2.804%
21	12.194	12.159	12.245	VB	477673	5699992	76.37%	2.293%
22	12.363	12.311	12.412	BB	568632	6832136	91.54%	2.748%
23	12.948	12.893	13.000	BB	552750	6737340	90.27%	2.710%
24	13.961	13.902	13.979	BV	470514	6444028	86.34%	2.592%
25	14.005	13.979	14.021	VV	549986	6373866	85.40%	2.564%
26	14.045	14.021	14.099	VB	511694	6546804	87.71%	2.633%
27	15.064	15.005	15.126	BB	474143	6236214	83.55%	2.509%
28	15.509	15.442	15.523	BV	412955	6282493	84.17%	2.527%
29	15.544	15.523	15.581	VB	497793	6177213	82.76%	2.485%
30	15.886	15.830	15.926	BB	421187	5609702	75.16%	2.257%
31	16.009	15.940	16.087	BB	428283	6098392	81.70%	2.453%
32	16.895	16.837	16.946	BV	413793	5803901	77.76%	2.335%
33	17.250	17.122	17.265	BV	372677	5803575	77.76%	2.335%
34	17.293	17.265	17.359	VB	438330	6118515	81.97%	2.461%
35	17.507	17.452	17.549	BB	414888	6119339	81.99%	2.462%
36	17.724	17.664	17.802	BB	386200	5570060	74.63%	2.241%

						rters		
37	18.505	18.454	18.569	BB	353312	5122079	68.62%	2.060%
38	19.243	19.200	19.328	BB	300182	4488169	60	
39	19.955	19.900	20.064	BV	242336	4240077	56	
40	20.806	20.721	20.950	BBA	180718	4277329	57	

Sum of corrected areas: 2485

Instrument :
FID_D
ClientSampleId :
PB141507BS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 12/20/2021
Supervised By :Ankita Jodhani 12/23/2021

Aliphatic EPH 121521.M Mon Dec 20 15:11:40 2021