

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD121721AL\
 Data File : FD040017.D
 Signal(s) : FID2B.CH
 Acq On : 18 Dec 2021 1:43
 Operator : AJ\MA
 Sample : M5116-05
 Misc :
 ALS Vial : 76 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 3

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 12/20/2021
 Supervised By :Ankita Jodhani 12/23/2021

Integration File: autoint1.e
 Quant Time: Dec 18 05:50:03 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aliphatic EPH 121521.M
 Quant Title : GC Extractables
 QLast Update : Wed Dec 15 16:44:55 2021
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	10.758	5332578	33.968 ug/ml
Spiked Amount 50.000		Recovery =	67.94%
12) S 1-chlorooctadecane (S...	12.194	3998876	32.381 ug/mlm
Spiked Amount 50.000		Recovery =	64.76%

Target Compounds

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD121721AL\
Data File : FD040017.D
Signal(s) : FID2B.CH
Acq On : 18 Dec 2021 1:43
Operator : AJ\MA
Sample : M5116-05
Misc :
ALS Vial : 76 Sample Multiplier: 1


Instrument :
FID_D
ClientSampleId :
3


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 12/20/2021
Supervised By :Ankita Jodhani 12/23/2021

Integration File: autoint1.e
Quant Time: Dec 18 05:50:03 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aliphatic EPH 121521.M
Quant Title : GC Extractables
QLast Update : Wed Dec 15 16:44:55 2021
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#9 ortho-Terphenyl (SURR)

R.T.: 10.758 min
Delta R.T.: -0.019 min
Response: 5332578
Conc: 33.97 ug/ml

Instrument :
FID_D
ClientSampleId :
3

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 12/20/2021
Supervised By :Ankita Jodhani 12/23/2021



#12 1-chlorooctadecane (SURR)

R.T.: 12.194 min
Delta R.T.: -0.016 min
Response: 3998876
Conc: 32.38 ug/ml m