

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD122322AR\
 Data File : FD044701.D
 Signal(s) : FID2B.ch
 Acq On : 24 Dec 2022 03:00
 Operator : YP/AJ
 Sample : N6088-02
 Misc :
 ALS Vial : 68 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 B-27-5B02

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 12/27/2022
 Supervised By :Ankita Jodhani 12/27/2022

Integration File: autoint1.e
 Quant Time: Dec 25 14:29:02 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 112922.M
 Quant Title : GC Extractables
 QLast Update : Tue Nov 29 00:29:41 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.665	6299505	48.540 ug/mlm
Spiked Amount 50.000		Recovery =	97.08%
6) S 2-Flurobiphenyl (SURR)	8.521	3716865	42.086 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	84.17%
11) S ortho-Terphenyl (SURR)	11.551	5739141	35.265 ug/ml
Spiked Amount 50.000		Recovery =	70.53%

Target Compounds

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD122322AR\
Data File : FD044701.D
Signal(s) : FID2B.ch
Acq On : 24 Dec 2022 03:00
Operator : YP/AJ
Sample : N6088-02
Misc :
ALS Vial : 68 Sample Multiplier: 1


Instrument :
FID_D
ClientSampleId :
B-27-5B02


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 12/27/2022
Supervised By :Ankita Jodhani 12/27/2022

Integration File: autoint1.e
Quant Time: Dec 25 14:29:02 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 112922.M
Quant Title : GC Extractables
QLast Update : Tue Nov 29 00:29:41 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#4 2-Bromonaphthalene (SURRE)

R.T.: 7.665 min
Delta R.T.: -0.017 min
Response: 6299505
Conc: 48.54 ug/ml

Instrument :
FID_D
ClientSampleId :
B-27-5B02


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 12/27/2022
Supervised By :Ankita Jodhani 12/27/2022



#6 2-Fluorobiphenyl (SURRE)

R.T.: 8.521 min
Delta R.T.: -0.018 min
Response: 3716865
Conc: 42.09 ug/ml



#11 ortho-Terphenyl (SURRE)

R.T.: 11.551 min
Delta R.T.: -0.021 min
Response: 5739141
Conc: 35.26 ug/ml