

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD122322AR\
 Data File : FD044705.D
 Signal(s) : FID2B.ch
 Acq On : 24 Dec 2022 05:28
 Operator : YP/AJ
 Sample : N6152-01
 Misc :
 ALS Vial : 72 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 GROUND-WATER

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 12/27/2022
 Supervised By :Ankita Jodhani 12/27/2022

Integration File: autoint1.e
 Quant Time: Dec 25 14:29:32 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 112922.M
 Quant Title : GC Extractables
 QLast Update : Tue Nov 29 00:29:41 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.665	7659148	59.016 ug/mlm
Spiked Amount 50.000		Recovery =	118.03%
6) S 2-Fluorobiphenyl (SURR)	8.523	4742877	53.703 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	107.41%
11) S ortho-Terphenyl (SURR)	11.555	10094530	62.027 ug/ml
Spiked Amount 50.000		Recovery =	124.05%

Target Compounds

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD122322AR\
Data File : FD044705.D
Signal(s) : FID2B.ch
Acq On : 24 Dec 2022 05:28
Operator : YP/AJ
Sample : N6152-01
Misc :
ALS Vial : 72 Sample Multiplier: 1


Instrument :
FID_D
ClientSampleId :
GROUND-WATER


Manual Integrations
APPROVED

Reviewed By : Yogesh Patel 12/27/2022
Supervised By : Ankita Jodhani 12/27/2022

Integration File: autoint1.e
Quant Time: Dec 25 14:29:32 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 112922.M
Quant Title : GC Extractables
QLast Update : Tue Nov 29 00:29:41 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#4 2-Bromonaphthalene (SURRE)

R.T.: 7.665 min
Delta R.T.: -0.017 min
Response: 7659148
Conc: 59.02 ug/ml

Instrument :
FID_D
ClientSampleId :
GROUND-WATER


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 12/27/2022
Supervised By :Ankita Jodhani 12/27/2022



#6 2-Fluorobiphenyl (SURRE)

R.T.: 8.523 min
Delta R.T.: -0.017 min
Response: 4742877
Conc: 53.70 ug/ml



#11 ortho-Terphenyl (SURRE)

R.T.: 11.555 min
Delta R.T.: -0.017 min
Response: 10094530
Conc: 62.03 ug/ml