

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD122623AR\
 Data File : FD047098.D
 Signal(s) : FID2B.ch
 Acq On : 26 Dec 2023 18:08
 Operator : YP/AJ
 Sample : 20 PPM AROMATIC HC STD
 Misc :
 ALS Vial : 66 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 20 PPM AROMATIC HC STD

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 12/28/2023
 Supervised By :Ankita Jodhani 12/28/2023

Integration File: autoint1.e
 Quant Time: Dec 26 22:27:25 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 122223.M
 Quant Title : GC Extractables
 QLast Update : Fri Dec 22 16:13:06 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.470	3880263	23.406 ug/ml
Spiked Amount 50.000		Recovery =	46.81%
6) S 2-Fluorobiphenyl (SURR)	8.323	2449799	23.509 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	47.02%
11) S ortho-Terphenyl (SURR)	11.360	4545398	23.538 ug/ml
Spiked Amount 50.000		Recovery =	47.08%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	4.287	4158365	23.048 ug/ml
2) T Naphthalene (C11.7)	5.811	4276985	23.236 ug/ml
3) T 2-Methylnaphthalene (...)	6.859	4274839	23.290 ug/ml
5) T Acenaphthylene (C15.06)	8.126	3892943	23.208 ug/ml
7) T Acenaphthene (C15.5)	8.422	4177639	23.228 ug/ml
8) T Fluorene (C16.55)	9.199	3912134	23.603 ug/ml
9) T Phenanthrene (C19.36)	10.587	3666603	23.506 ug/mlm
10) T Anthracene (C19.43)	10.661	3284511	22.675 ug/ml
12) T Fluoranthene (C21.85)	12.390	3602485	23.799 ug/ml
13) T Pyrene (C20.8)	12.684	3488458	23.786 ug/ml
14) T Benzo[a]anthracene (C...	14.547	2859007	23.233 ug/ml
15) T Chrysene (C27.41)	14.588	3171549	22.594 ug/ml
16) T benzo[b]fluoranthene ...	16.089	2982094	23.151 ug/ml
17) T Bnezo[k]fluoranthene ...	16.121	3113487	23.409 ug/ml
18) T Benzo[a]pyrene (C31.34)	16.463	2871780	22.599 ug/ml
19) T Indeno[1,2,3-cd]pyren...	17.820	2598105	23.435 ug/mlm
20) T Dibenz[a,h]anthracene...	17.862	2673552	20.924 ug/ml
21) T Benzo[g,h,i]perylene ...	18.072	2833202	22.114 ug/ml

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD122623AR\
Data File : FD047098.D
Signal(s) : FID2B.ch
Acq On : 26 Dec 2023 18:08
Operator : YP/AJ
Sample : 20 PPM AROMATIC HC STD
Misc :
ALS Vial : 66 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :
20 PPM AROMATIC HC STD

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 12/28/2023
Supervised By :Ankita Jodhani 12/28/2023

Integration File: autoint1.e
Quant Time: Dec 26 22:27:25 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 122223.M
Quant Title : GC Extractables
QLast Update : Fri Dec 22 16:13:06 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm

