

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE010323AL\
 Data File : FE039609.D
 Signal(s) : FID1B.ch
 Acq On : 03 Jan 2023 14:24
 Operator : YP\AJ
 Sample : N6248-01
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 FID_E
 ClientSampleId :
 TP-15

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 01/04/2023
 Supervised By :Ankita Jodhani 01/04/2023

Integration File: autoint1.e
 Quant Time: Jan 03 17:28:08 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 121722.M
 Quant Title : GC Extractables
 QLast Update : Sat Dec 17 15:09:52 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.927	4580984	30.697 ug/mlm
Spiked Amount 50.000		Recovery =	61.39%
12) S 1-chlorooctadecane (S...	13.363	3719488	32.316 ug/ml
Spiked Amount 50.000		Recovery =	64.63%

Target Compounds

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE010323AL\
Data File : FE039609.D
Signal(s) : FID1B.ch
Acq On : 03 Jan 2023 14:24
Operator : YP\AJ
Sample : N6248-01
Misc :
ALS Vial : 7 Sample Multiplier: 1


Instrument :
FID_E
ClientSampleId :
TP-15


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 01/04/2023
Supervised By :Ankita Jodhani 01/04/2023

Integration File: autoint1.e
Quant Time: Jan 03 17:28:08 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 121722.M
Quant Title : GC Extractables
QLast Update : Sat Dec 17 15:09:52 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#9 ortho-Terphenyl (SURR)

R.T.: 11.927 min
Delta R.T.: -0.022 min
Response: 4580984
Conc: 30.70 ug/ml

Instrument :
FID_E
ClientSampleId :
TP-15

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 01/04/2023
Supervised By :Ankita Jodhani 01/04/2023



#12 1-chlorooctadecane (SURR)

R.T.: 13.363 min
Delta R.T.: -0.020 min
Response: 3719488
Conc: 32.32 ug/ml